



# PRODUCT CATALOGUE 2025

Inverter  
Series

Commercial  
Refrigerator

Electrical & Gas  
Cooking Equipment

Foodservice  
Equipment

Bakery  
Machinery

Stainless Steel  
Fabrication

## ABOUT US

# AT A GLANCE

**1<sup>st</sup>** Finest & Largest Commercial  
Kitchen Equipment Manufacturer  
In Malaysia

**12** Branches In Klang Valley,  
Negeri Sembilan & Perak



*Sales & Marketing Office In Kuala Lumpur, Malaysia*

**12**  
Acres Factory

**20**  
Production Lines

**45** Years in Commercial  
Refrigerator & Foodservice  
Equipment Industry

**23**  
Dealers Nationwide

**60**  
Countries for Export

**800** Well-Trained  
Employees Nationwide



*Manufacturing Plant In Negeri Sembilan, Malaysia*



# CONTENT

04

**Inverter Series**

08

**Commercial Refrigerator**

21

**Electrical & Gas  
Cooking Equipment**

34

**Foodservice Equipment**

50

**Bakery Machinery**

58

**Stainless Steel Fabrication**



# INVERTER SERIES

Our product line boasts an exciting addition with the introduction of the state-of-the-art INVERTER series of commercial refrigerators. This innovative series features a selection of carefully designed Display, Showcase, Upright, and Counter range, each engineered to meet the precise demands of modern food service operations.



# Inverter Series

**NEW  
SERIES**

## Display Chiller - Inverter

❄️ Temperature °C (Celsius) : +2 to +8



**INVERTER**  
**1DDC-V-BB**



**INVERTER**  
**2DDC-V-BB**



**INVERTER**  
**3DDC-V-BB**

| Model                           |                      |                         |                          |                          |
|---------------------------------|----------------------|-------------------------|--------------------------|--------------------------|
|                                 |                      | 1 Door                  | 2 Doors                  | 3 Doors                  |
|                                 | Black Body           | 1DDC-V-BB               | 2DDC-V-BB                | 3DDC-V-BB                |
|                                 | White Body           | 1DDC-V-WB               | 2DDC-V-WB                | 3DDC-V-WB                |
|                                 | Stainless Steel Body | 1DDC-V-SB               | 2DDC-V-SB                | 3DDC-V-SB                |
|                                 | Dimension (mm)       | 635 x (710 + 20) x 2060 | 1260 x (710 + 20) x 2060 | 1880 x (710 + 20) x 2060 |
| Gross Volume (Litres)           |                      | 400                     | 876                      | 1367                     |
| Energy Consumption (kWh / Day)  |                      | 1.8                     | 1.9                      | 2.9                      |
| Energy Savings (kWh / Day)      |                      | 4.4                     | 10.1                     | 17.8                     |
| Energy Savings Up To (% / Year) |                      | 70.97                   | 84.16                    | 86                       |
| Energy Efficiency Index (EEI)   |                      | ✓✓✓                     | ✓✓✓✓                     | ✓✓✓✓                     |

\* Energy Savings compared with Standard Model

## Display Freezer - Inverter

❄️ Temperature °C (Celsius) : -18 to -12



**INVERTER**  
**1DDF-V-BB**



**INVERTER**  
**2DDF-V-BB**



**INVERTER**  
**3DDF-V-BB**

| Model                           |                      |                         |                          |                          |
|---------------------------------|----------------------|-------------------------|--------------------------|--------------------------|
|                                 |                      | 1 Door                  | 2 Doors                  | 3 Doors                  |
|                                 | Black Body           | 1DDF-V-BB               | 2DDF-V-BB                | 3DDF-V-BB                |
|                                 | White Body           | 1DDF-V-WB               | 2DDF-V-WB                | 3DDF-V-WB                |
|                                 | Stainless Steel Body | 1DDF-V-SB               | 2DDF-V-SB                | 3DDF-V-SB                |
|                                 | Dimension (mm)       | 635 x (710 + 20) x 2060 | 1260 x (710 + 20) x 2060 | 1880 x (710 + 20) x 2060 |
| Gross Volume (Litres)           |                      | 400                     | 876                      | 1367                     |
| Energy Consumption (kWh / Day)  |                      | 4.8                     | 7.3                      | 11.7                     |
| Energy Savings (kWh / Day)      |                      | 13.9                    | 27.2                     | 37.9                     |
| Energy Savings Up To (% / Year) |                      | 74.33                   | 78.84                    | 76.41                    |
| Energy Efficiency Index (EEI)   |                      | ✓✓✓                     | ✓✓✓                      | ✓✓✓                      |

\* Energy Savings compared with Standard Model

## Rectangular Confectionery Showcase - Inverter

❄️ Temperature °C (Celsius) : +2 to +8



**INVERTER**  
**2 Tiers**



**INVERTER**  
**3 Tiers**

| Model                           | 2 Tiers | RS09C-V-2T       | RS12C-V-2T        | RS15C-V-2T        | RS18C-V-2T        |
|---------------------------------|---------|------------------|-------------------|-------------------|-------------------|
|                                 | 3 Tiers | RS09C-V-3T       | RS12C-V-3T        | RS15C-V-3T        | RS18C-V-3T        |
| Dimension (mm)                  |         | 900 x 700 x 1350 | 1200 x 700 x 1350 | 1500 x 700 x 1350 | 1800 x 700 x 1350 |
| Gross Volume (Litres)           |         | 316              | 500               | 636               | 771               |
| Energy Consumption (kWh / Day)  |         | 3.7              | 4.8               | 4.8               | 5.6               |
| Energy Savings (kWh / Day)      |         | 10.2             | 13.9              | 17.4              | 18.6              |
| Energy Savings Up To (% / Year) |         | 73.38            | 74.33             | 78.38             | 76.86             |
| Energy Efficiency Index (EEI)   |         | ✓✓✓              | ✓✓✓               | ✓✓✓               | ✓✓✓               |

\* Energy Savings compared with Standard Model

## Upright Chiller - Inverter

❄ Temperature °C (Celsius) : +2 to +8



**INVERTER**  
**2DUC-V-Z**



**INVERTER**  
**4DUC-V-Z**



**INVERTER**  
**6DUC-V-Z**

|                                 | 2 Doors          | 4 Doors           | 6 Doors           |
|---------------------------------|------------------|-------------------|-------------------|
| Model                           | 2DUC-V-Z         | 4DUC-V-Z          | 6DUC-V-Z          |
| Dimension (mm)                  | 650 x 770 x 2060 | 1300 x 770 x 2060 | 1950 x 770 x 2060 |
| Gross Volume (Litres)           | 474              | 1042              | 1602              |
| Energy Consumption (kWh / Day)  | 1.1              | 1.7               | 2.1               |
| Energy Savings (kWh / Day)      | 3.7              | 5.0               | 7.5               |
| Energy Savings Up To (% / Year) | 77.08            | 74.63             | 78.13             |
| Energy Efficiency Index (EEI)   | ✓✓✓✓             | ✓✓✓✓              | ✓✓✓✓              |

\* Energy Savings compared with Standard Model

## Upright Freezer - Inverter

❄ Temperature °C (Celsius) : -18 to -12



**INVERTER**  
**2DUF-V-Z**



**INVERTER**  
**4DUF-V-Z**



**INVERTER**  
**6DUF-V-Z**

|                                 | 2 Doors          | 4 Doors           | 6 Doors           |
|---------------------------------|------------------|-------------------|-------------------|
| Model                           | 2DUF-V-Z         | 4DUF-V-Z          | 6DUF-V-Z          |
| Dimension (mm)                  | 650 x 770 x 2060 | 1300 x 770 x 2060 | 1950 x 770 x 2060 |
| Gross Volume (Litres)           | 474              | 1042              | 1602              |
| Energy Consumption (kWh / Day)  | 4.2              | 5.7               | 7.8               |
| Energy Savings (kWh / Day)      | 8.0              | 9.7               | 14.5              |
| Energy Savings Up To (% / Year) | 65.67            | 62.99             | 62.02             |
| Energy Efficiency Index (EEI)   | ✓✓✓              | ✓✓✓✓              | ✓✓✓✓              |

\* Energy Savings compared with Standard Model

## Dual Upright Chiller & Freezer - Inverter

❄ Temperature °C (Celsius) : Chiller : +2 to +8 | Freezer : -18 to -12



**INVERTER**  
**U2F2C-V-Z**

|                                 | 4 Doors                            |
|---------------------------------|------------------------------------|
| Model                           | U2F2C-V-Z                          |
| Dimension (mm)                  | 1300 x 770 x 2060                  |
| Gross Volume (Litres)           | Chiller   Freezer<br>475   475     |
| Energy Consumption (kWh / Day)  | Chiller   Freezer<br>1.1   3.7     |
| Energy Savings (kWh / Day)      | Chiller   Freezer<br>3.2   6.9     |
| Energy Savings Up To (% / Year) | Chiller   Freezer<br>74.42   65.09 |
| Energy Efficiency Index (EEI)   | Chiller   Freezer<br>✓✓✓✓   ✓✓✓✓   |

\* Energy Savings compared with Standard Model



## Counter Chiller - Inverter

❄️ Temperature °C (Celsius) : +2 to +8



**INVERTER**  
2 Doors



**INVERTER**  
3 Doors

|                                 | 2 Doors - 4'     | 2 Doors - 5'     | 2 Doors - 6'     | 3 Doors - 7'     |
|---------------------------------|------------------|------------------|------------------|------------------|
| Model                           | 2DC4-V-Z         | 2DC5-V-Z         | 2DC6-V-Z         | 3DC7-V-Z         |
| Dimension (mm)                  | 1200 x 760 x 840 | 1500 x 760 x 840 | 1800 x 760 x 840 | 2100 x 760 x 840 |
| Gross Volume (Litres)           | 262              | 361              | 466              | 576              |
| Energy Consumption (kWh / Day)  | 0.8              | 1.1              | 1.3              | 1.7              |
| Energy Savings (kWh / Day)      | 2.4              | 3.2              | 4.0              | 4.1              |
| Energy Savings Up To (% / Year) | 74.68            | 74.42            | 75.47            | 70.69            |
| Energy Efficiency Index (EEI)   | ✓✓✓✓             | ✓✓✓✓             | ✓✓✓✓             | ✓✓✓✓             |

\* Energy Savings compared with Standard Model

## Counter Freezer - Inverter

❄️ Temperature °C (Celsius) : -18 to -12



**INVERTER**  
2 Doors



**INVERTER**  
3 Doors

|                                 | 2 Doors - 4'     | 2 Doors - 5'     | 2 Doors - 6'     | 3 Doors - 7'     |
|---------------------------------|------------------|------------------|------------------|------------------|
| Model                           | 2DF4-V-Z         | 2DF5-V-Z         | 2DF6-V-Z         | 3DF7-V-Z         |
| Dimension (mm)                  | 1200 x 760 x 840 | 1500 x 760 x 840 | 1800 x 760 x 840 | 2100 x 760 x 840 |
| Gross Volume (Litres)           | 262              | 361              | 466              | 576              |
| Energy Consumption (kWh / Day)  | 2.8              | 3.7              | 3.9              | 4.4              |
| Energy Savings (kWh / Day)      | 6.8              | 6.3              | 6.3              | 7.8              |
| Energy Savings Up To (% / Year) | 70.83            | 63               | 61.76            | 65.35            |
| Energy Efficiency Index (EEI)   | ✓✓✓✓             | ✓✓✓✓             | ✓✓✓✓             | ✓✓✓✓             |

\* Energy Savings compared with Standard Model

## Barline Counter Chiller - Inverter

❄️ Temperature °C (Celsius) : +2 to +8



**INVERTER**  
B3DC7-V-SM-7

|                                 | 3 Doors - 7'     |
|---------------------------------|------------------|
| Model                           | B3DC7-V-SM-7     |
| Dimension (mm)                  | 2100 x 760 x 840 |
| Gross Volume (Litres)           | 576              |
| Energy Consumption (kWh / Day)  | 1.7              |
| Energy Savings (kWh / Day)      | 4.1              |
| Energy Savings Up To (% / Year) | 70.69            |
| Energy Efficiency Index (EEI)   | ✓✓✓✓✓            |

\* Energy Savings compared with Standard Model



# COMMERCIAL REFRIGERATOR

The heavy-duty and environmentally friendly Commercial Refrigerator offers premium quality, design, and performance that best suits a wide range of industries.





**SCAN HERE**  
FOR MORE INFO

- 
- 10** Display Range
  - 14** Showcase Range
  - 15** Upright Range
  - 16** Counter Range
  - 17** Chest Freezer Range
  - 19** Ice Cream Range  
Shock Freezer
  - 20** Ice Maker Machine



# Display Range

## Display Chiller | Display Freezer | Dual Display Chiller & Freezer

❄ Temperature °C (Celsius) : Chiller : +1 to +6 | Freezer : -20 to -14



1 Door

2 Doors

3 Doors

|                       |                 | 1 Door                  | 2 Doors                  | 3 Doors                  |
|-----------------------|-----------------|-------------------------|--------------------------|--------------------------|
| Display Chiller       |                 | 1D/DC-SM                | 2D/DC-SM                 | 3D/DC-SM                 |
| Display Freezer       | Standard        | 1D/DF-SM                | 2D/DF-SM                 | 3D/DF-SM                 |
|                       | Expansion Valve | 1D/DF-SM-EV             | 2D/DF-SM-EV              | 3D/DF-SM-EV              |
| Dimension (mm)        |                 | 635 x (710 + 20) x 2060 | 1260 x (710 + 20) x 2060 | 1880 x (710 + 20) x 2060 |
| Gross Volume (Litres) |                 | 400                     | 876                      | 1351                     |

  

|                                |         | 2 Doors                  | 3 Doors                  | 3 Doors                  |
|--------------------------------|---------|--------------------------|--------------------------|--------------------------|
| Dual Display Chiller & Freezer |         | 2D/DCF-SM                | 3D/D2C1F-SM              | 3D/D2F1C-SM              |
| Dimension (mm)                 |         | 1260 x (710 + 20) x 2060 | 1880 x (710 + 20) x 2060 | 1880 x (710 + 20) x 2060 |
| Gross Volume (Litres)          | Chiller | 432                      | 977                      | 459                      |
|                                | Freezer | 403                      | 459                      | 977                      |

## Display Chiller | Display Freezer

❄ Temperature °C (Celsius) : Chiller : +2 to +8 | Freezer : -20 to -14



1 Door

2 Doors

3 Doors

|                       |          | 1 Door                  | 2 Doors                  | 3 Doors                  |
|-----------------------|----------|-------------------------|--------------------------|--------------------------|
| Display Chiller       | Standard | 1D/DC-BBH               | 2D/DC-BBH                | 3D/DC-BBH                |
|                       | Economy  | 1D/DC-BBH-1             | 2D/DC-BBH-1              | 3D/DC-BBH-1              |
| Display Freezer       |          | 1D/DF-BBH               | 2D/DF-BBH                | 3D/DF-BBH                |
| Dimension (mm)        |          | 635 x (710 + 20) x 2060 | 1260 x (710 + 20) x 2060 | 1880 x (710 + 20) x 2060 |
| Gross Volume (Litres) |          | 400                     | 876                      | 1351                     |

## Display Chiller (B Series)

❄ Temperature °C (Celsius) : Chiller : +0 to +10



1 Door

2 Doors

3 Doors

|                       |  | 1 Door           | 2 Doors           | 3 Doors           |
|-----------------------|--|------------------|-------------------|-------------------|
| Display Chiller       |  | BJY-1DCBS360B    | BJY-2DCBS600B     | BJY-3DCBS1000B    |
| Dimension (mm)        |  | 650 x 550 x 1980 | 1000 x 550 x 1980 | 1500 x 550 x 1980 |
| Gross Volume (Litres) |  | 360              | 600               | 1000              |

## Display Chiller

❄ Temperature °C (Celsius) : Chiller : +0 to +10



| Model                 | BJY-DCPS220      | BJY-DCPS350      |
|-----------------------|------------------|------------------|
| Dimension (mm)        | 530 x 635 x 1650 | 620 x 635 x 1940 |
| Gross Volume (Litres) | 220              | 350              |

## Open Showcase

❄ Temperature °C (Celsius) : +2 to +10



White Body



Black Body

| Model                 | White Body | BS-OS 4SC-2W      | BS-OS 6SC-2W      | BS-OS 8SC-2W      |
|-----------------------|------------|-------------------|-------------------|-------------------|
|                       | Black Body | BS-OS 4SC-2B      | BS-OS 6SC-2B      | BS-OS 8SC-2B      |
| Dimension (mm)        |            | 1200 x 800 x 1900 | 1800 x 800 x 1900 | 2400 x 800 x 1900 |
| Gross Volume (Litres) |            | 724               | 1119              | 1145              |

## Convenience Open Showcase

❄ Temperature °C (Celsius) : +2 to +8



| Model                 | BS COS 600B-29   | BS COS 900B-29   |
|-----------------------|------------------|------------------|
| Dimension (mm)        | 600 x 700 x 1400 | 900 x 700 x 1400 |
| Gross Volume (Litres) | 158              | 252              |

## Four Glass Display Chiller

❄ Temperature °C (Celsius) : 0 to +12



| Model             | 50Hz | BJY-4GDC-78L-A   | BJY-4GDC-98L-A    | BJY-4GDC-235CD-A |
|-------------------|------|------------------|-------------------|------------------|
|                   | 60Hz | BJY-4GDC78L-A-60 | BJY-4GDC-98L-A-60 | -                |
| Dimension (mm)    |      | 452 x 406 x 966  | 452 x 406 x 1116  | 556 x 526 x 1713 |
| Capacity (Litres) |      | 78               | 98                | 235              |

## Mini Display Chiller

❄ Temperature °C (Celsius) : Chiller: +1 to +6



| Model                 | 1D/MDC-SM               |
|-----------------------|-------------------------|
| Dimension (mm)        | 590 x (580 + 20) x 1740 |
| Gross Volume (Litres) | 292                     |



## Fish Display Case

❄ Temperature °C (Celsius) : +1 to +6



| Model                 | FDC 4              | FDC 6              | FDC 8              |
|-----------------------|--------------------|--------------------|--------------------|
| Dimension (mm)        | 1200 x 1160 x 1110 | 1800 x 1160 x 1110 | 2400 x 1160 x 1110 |
| Gross Volume (Litres) | 97                 | 148                | 200                |

## Refrigerated Display Case

❄ Temperature °C (Celsius) : +2 to +10



White Body

| Model                 | White Body | RDC 4             | RDC 6             | RDC 8             |
|-----------------------|------------|-------------------|-------------------|-------------------|
|                       | Black Body | RDC 4-B           | RDC 6-B           | RDC 8-B           |
| Dimension (mm)        |            | 1200 x 1100 x 965 | 1800 x 1100 x 965 | 2400 x 1100 x 965 |
| Gross Volume (Litres) |            | 388               | 596               | 804               |

## Table Top Display Cooler

❄ Temperature °C : +1 to +6



| Model             | DC 211          | DC 311           |
|-------------------|-----------------|------------------|
| Dimension (mm)    | 750 x 740 x 590 | 1095 x 740 x 590 |
| Capacity (Litres) | 76              | 113              |

## Display Cooler

❄ Temperature °C (Celsius) : 0 to +12



| Model             | 50Hz | BJY-DC-120L-A    | BJY-DC-160L-A    |
|-------------------|------|------------------|------------------|
|                   | 60Hz | BJY-DC-120L-A-60 | BJY-DC-160L-A-60 |
| Dimension (mm)    |      | 702 x 568 x 686  | 880 x 568 x 686  |
| Capacity (Litres) |      | 120              | 160              |

## Wine Cooler

❄️ Temperature °C (Celsius) : Dual Zone 5 - 22°C



| Model             | BJY-WC320DH/122  | BJY-WC428DH/171  |
|-------------------|------------------|------------------|
| Dimension (mm)    | 595 x 690 x 1480 | 595 x 680 x 1770 |
| Capacity (Litres) | 320              | 415              |
| Upper (Bottles)   | 55               | 88               |
| Lower (Bottles)   | 67               | 83               |

## Back Bar Cooler

❄️ Temperature °C (Celsius) : 0 to +10



1 Door



2 Doors



3 Doors

|                   | 1 Door          | 2 Doors         | 3 Doors          |
|-------------------|-----------------|-----------------|------------------|
| Model             | BJY-1DBC128BS-B | BJY-2DBC198BS-B | BJY-3DBC320BS-B  |
| Dimension (mm)    | 500 x 550 x 860 | 900 x 550 x 860 | 1340 x 550 x 860 |
| Capacity (Litres) | 128             | 198             | 320              |

## Sushi Showcase

❄️ Temperature °C (Celsius) : 0 to +12



| Model             | BJY-SUSHI-42L    | BJY-SUSHI132     |
|-------------------|------------------|------------------|
| Dimension (mm)    | 1177 x 420 x 265 | 1800 x 420 x 265 |
| Capacity (Litres) | 4 x 1/3 GN       | 5 x 1/2 GN       |

## Salad Showcase

❄️ Temperature °C (Celsius) : +2 to +10



| Model             | BJY-SALAD1200    |
|-------------------|------------------|
| Dimension (mm)    | 1275 x 410 x 330 |
| Capacity (Litres) | 5 x 1/4 GN       |

# Showcase Range

## Confectionery Showcase

❄️ Temperature °C (Celsius) : +1 to +6



Stainless Steel Base  
Curve (2 Tier)



Stainless Steel Base  
Rectangular (3 Tier)



Colourbond Base  
Curve (2 Tier)



Colourbond Base  
Rectangular (3 Tier)

| Stainless Steel Base                         | Curve       | 2 Tier | CCS-09SS-2       | CCS-12SS-2        | CCS-15SS-2        | CCS-18SS-2        | CCS-24SS-2        |
|----------------------------------------------|-------------|--------|------------------|-------------------|-------------------|-------------------|-------------------|
|                                              |             | 3 Tier | CCS-09SS-3       | CCS-12SS-3        | CCS-15SS-3        | CCS-18SS-3        | CCS-24SS-3        |
|                                              | Rectangular | 2 Tier | RCS-09SS-2       | RCS-12SS-2        | RCS-15SS-2        | RCS-18SS-2        | RCS-24SS-2        |
|                                              |             | 3 Tier | RCS-09SS-3       | RCS-12SS-3        | RCS-15SS-3        | RCS-18SS-3        | RCS-24SS-3        |
| Colourbond Base                              | Curve       | 2 Tier | CCS 09SB13-2FB   | CCS 12SB13-2FB    | CCS 15SB13-2FB    | CCS 18SB13-2FB    | CCS 24SB13-2FB    |
|                                              |             | 3 Tier | CCS 09SB13-3FB   | CCS 12SB13-3FB    | CCS 15SB13-3FB    | CCS 18SB13-3FB    | CCS 24SB13-3FB    |
|                                              | Rectangular | 2 Tier | RCS 09SB13-2FB   | RCS 12SB13-2FB    | RCS 15SB13-2FB    | RCS 18SB13-2FB    | RCS 24SB13-2FB    |
|                                              |             | 3 Tier | RCS 09SB13-3FB   | RCS 12SB13-3FB    | RCS 15SB13-3FB    | RCS 18SB13-3FB    | RCS 24SB13-3FB    |
| Dimension (mm)                               |             |        | 900 x 700 x 1350 | 1200 x 700 x 1350 | 1500 x 700 x 1350 | 1800 x 700 x 1350 | 2400 x 700 x 1350 |
| Gross Volume (Litres) - Stainless Steel Base |             |        | 370              | 499               | 628               | 757               | 1015              |
| Gross Volume (Litres) - Colourbond Base      |             |        | 316              | 439               | 560               | 682               | 926               |

## Confectionery Showcase (Economy Series)

❄️ Temperature °C (Celsius) : +2 to +8



Black Steel Base  
Curve (2 Tier)



Black Steel Base  
Rectangular (2 Tier)

| Model                 | Curve            |                   |                   | Rectangular      |                   |                   |
|-----------------------|------------------|-------------------|-------------------|------------------|-------------------|-------------------|
|                       | BJY-CCS0912-2B   | BJY-CCS1212-2B    | BJY-CCS1512-2B    | BJY-RCS0912-2B   | BJY-RCS1212-2B    | BJY-RCS1512-2B    |
| Dimension (mm)        | 900 x 720 x 1200 | 1200 x 720 x 1200 | 1500 x 720 x 1200 | 900 x 695 x 1200 | 1200 x 695 x 1200 | 1500 x 695 x 1200 |
| Gross Volume (Litres) | 180              | 250               | 317               | 310              | 415               | 530               |

## Rectangular Drawer Showcase

❄️ Temperature °C (Celsius) : +1 to +6



With Window



Without Window

| Model                 | With Window       |                   | Without Window    |                   |
|-----------------------|-------------------|-------------------|-------------------|-------------------|
|                       | RDS-M-12W         | RDS-M-15W         | RDS-M-12          | RDS-M-15          |
| Dimension (mm)        | 1200 x 700 x 1200 | 1500 x 700 x 1200 | 1200 x 700 x 1200 | 1500 x 700 x 1200 |
| Gross Volume (Litres) | Top               | 157               | 157               | 195               |
|                       | Middle            | 132               | 159               | 203               |



# Upright Range

## Upright Chiller | Upright Freezer | Dual Upright Chiller & Freezer

❄️ Temperature °C (Celsius) : Chiller : +1 to +6 | Freezer : -20 to -14



2 Doors



4 Doors



6 Doors

|                       | 2 Doors          | 4 Doors           | 6 Doors           |
|-----------------------|------------------|-------------------|-------------------|
| Upright Chiller       | BS2DUC/Z         | BS4DUC/Z          | BS6DUC/Z          |
| Upright Freezer       | BS2DUF/Z         | BS4DUF/Z          | BS6DUF/Z          |
| Dimension (mm)        | 650 x 770 x 2060 | 1300 x 770 x 2060 | 1950 x 770 x 2060 |
| Gross Volume (Litres) | 471              | 1029              | 1602              |

|                                | 4 Doors                    | 6 Doors           | 6 Doors           |
|--------------------------------|----------------------------|-------------------|-------------------|
| Dual Display Chiller & Freezer | BSDU2F2C/Z                 | BSDU4C2F/Z        | BSDU4F2C/Z        |
| Dimension (mm)                 | 1300 x 770 x 2060          | 1950 x 770 x 2060 | 1950 x 770 x 2060 |
| Gross Volume (Litres)          | Chiller 540<br>Freezer 473 | 1041<br>540       | 540<br>1041       |

## Gastronome Upright Chiller | Gastronome Upright Freezer

❄️ Temperature °C (Celsius) : Chiller : +1 to +6 | Freezer : -20 to -14



1 Door



2 Doors



3 Doors

|                            | 1 Door           | 2 Doors           | 3 Doors           |
|----------------------------|------------------|-------------------|-------------------|
| Gastronome Upright Chiller | BS1FDUC/Z/GN     | BS2FDUC/Z/GN      | BS3FDUC/Z/GN      |
| Gastronome Upright Freezer | BS1FDUF/Z/GN     | BS2FDUF/Z/GN      | BS3FDUF/Z/GN      |
| Dimension (mm)             | 680 x 840 x 2060 | 1350 x 840 x 2060 | 2020 x 840 x 2060 |
| Gross Volume (Litres)      | 552              | 1197              | 1853              |

## Dual Display Chiller & Freezer (Piping System)

❄️ Temperature °C (Celsius) : Chiller : +2 to +8 | Freezer : -25 to -20



2 Doors



4 Doors



6 Doors

|                       | 2 Doors                    | 4 Doors           | 6 Doors           |
|-----------------------|----------------------------|-------------------|-------------------|
| Model                 | PS-2DD/CF-N                | PS-4DD/CF-N       | PS-6DD/CF-N       |
| Dimension (mm)        | 667 x 710 x 2080           | 1283 x 710 x 2080 | 1905 x 710 x 2080 |
| Gross Volume (Litres) | Chiller 289<br>Freezer 175 | 624<br>378        | 953<br>577        |

\* Static System

# Counter Range

## Counter Chiller | Counter Freezer | Dual Counter Chiller & Freezer

❄️ Temperature °C (Celsius) : Chiller : +1 to +6 | Freezer : -20 to -14



2 Doors (BS2DC4/Z-N)



2 Doors



3 Doors

|                       | 2 Doors - 4'     | 2 Doors - 4'     | 2 Doors - 5'     | 2 Doors - 6'     | 3 Doors - 7'     | 3 Doors - 8'     |
|-----------------------|------------------|------------------|------------------|------------------|------------------|------------------|
| Counter Chiller       | BS2DC4/Z-N       | BS2DC4/Z         | BS2DC5/Z         | BS2DC6/Z         | BS3DC7/Z         | BS3DC8/Z         |
| Counter Freezer       | -                | BS2DF4/Z         | BS2DF5/Z         | BS2DF6/Z         | BS3DF7/Z         | BS3DF8/Z         |
| Dimension (mm)        | 1200 x 760 x 840 | 1200 x 760 x 840 | 1500 x 760 x 840 | 1800 x 760 x 840 | 2100 x 760 x 840 | 2400 x 760 x 840 |
| Gross Volume (Litres) | 233              | 262              | 366              | 472              | 576              | 681              |

|                                | 2 Doors - 4'     | 2 Doors - 5'     | 2 Doors - 6'     | 3 Doors - 7'     | 3 Doors - 8'     |
|--------------------------------|------------------|------------------|------------------|------------------|------------------|
| Dual Counter Chiller & Freezer | BS2DCF4/Z        | BS2DCF5/Z        | BS2DCF6/Z        | BS3D2C1F7/Z      | BS3D2C1F8/Z      |
| Dimension (mm)                 | 1200 x 760 x 840 | 1500 x 760 x 840 | 1800 x 760 x 840 | 2100 x 760 x 840 | 2400 x 760 x 840 |
| Gross Volume (Litres)          |                  |                  |                  |                  |                  |
| (Left) Freezer                 | 127              | 178              | 230              | 183              | 224              |
| (Right) Chiller                | 127              | 178              | 230              | 375              | 445              |

## Salad Sandwich Counter

❄️ Temperature °C (Celsius) : +1 to +6



2 Doors



1 Door



2 Doors



3 Doors

|                       | 2 Door          | 1 Door           | 2 Door           | 3 Door           |
|-----------------------|-----------------|------------------|------------------|------------------|
| Model                 | BS2D/SSCF/Z-N   | BS1D/SSCF4/Z     | BS2D/SSCF6/Z     | BS3D/SSCF8/Z     |
| Dimension (mm)        | 825 x 760 x 840 | 1200 x 760 x 840 | 1800 x 760 x 840 | 2400 x 760 x 840 |
| Gross Volume (Litres) | 131             | 216              | 426              | 634              |

## Pizza Counter

❄️ Temperature °C (Celsius) : +1 to +6



1 Door



2 Doors



3 Doors

|                       | 1 Door            | 2 Doors           | 3 Doors           |
|-----------------------|-------------------|-------------------|-------------------|
| Model                 | BS1D/PCF4/Z       | BS2D/PCF6/Z       | BS3D/PCF8/Z       |
| Dimension (mm)        | 1200 x 760 x 1080 | 1800 x 760 x 1080 | 2400 x 760 x 1080 |
| Gross Volume (Litres) | 216               | 426               | 634               |

## Refrigerated Barline

❄️ Temperature °C (Celsius) : +1 to +6



2 Doors



3 Doors



4 Doors

| Model                 | 2 Door     |                         | 2 Door                  |                         | 2 Door                  |                         | 3 Door                  |                         | 4 Door                  |                         |
|-----------------------|------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|
|                       | 600 Series | B2D/C4/600-SM           | B2D/C5/600-SM           | B2D/C5/600-SM           | B2D/C6/600-SM           | B2D/C6/600-SM           | B3D/C7/600-SM           | B3D/C7/600-SM           | B4D/C8/600-SM           | B4D/C8/600-SM           |
| Dimension (mm)        | 600 Series | 1200 x (600 + 20) x 840 | 1500 x (600 + 20) x 840 | 1500 x (600 + 20) x 840 | 1800 x (600 + 20) x 840 | 1800 x (600 + 20) x 840 | 2100 x (600 + 20) x 840 | 2100 x (600 + 20) x 840 | 2400 x (600 + 20) x 840 | 2400 x (600 + 20) x 840 |
|                       | 700 Series | 1200 x (760 + 20) x 840 | 1500 x (760 + 20) x 840 | 1500 x (760 + 20) x 840 | 1800 x (760 + 20) x 840 | 1800 x (760 + 20) x 840 | 2100 x (760 + 20) x 840 | 2100 x (760 + 20) x 840 | 2400 x (760 + 20) x 840 | 2400 x (760 + 20) x 840 |
| Gross Volume (Litres) | 600 Series | 182                     | 255                     | 255                     | 329                     | 329                     | 405                     | 405                     | 479                     | 479                     |
|                       | 700 Series | 263                     | 366                     | 366                     | 472                     | 472                     | 576                     | 576                     | 681                     | 681                     |

## Drawer Counter Chiller

❄️ Temperature °C (Celsius) : +1 to +6



2 Decks  
BS2DR/C1165/2



3 Decks  
BS6DR/C1850/3

| Model                   | 2 Decks | 2 Drawer<br>BS2DR/C1165/2 | 4 Drawer<br>BS4DR/C1850/2 | 6 Drawer<br>BS6DR/C2535/2 |
|-------------------------|---------|---------------------------|---------------------------|---------------------------|
|                         | 3 Decks | 3 Drawer<br>BS3DR/C1165/3 | 6 Drawer<br>BS6DR/C1850/3 | 9 Drawer<br>BS9DR/C2535/3 |
| External Dimension (mm) |         | 1165 x 760 x 840          | 1850 x 760 x 840          | 2535 x 760 x 840          |
| Gross Volume (Litres)   |         | 279                       | 536                       | 795                       |

## Chest Freezer Range

❄️ Chest Freezer (Top Opening Door)



| Model            | Dimension (mm)          | Temperature (°C)    | Capacity (Litres) |
|------------------|-------------------------|---------------------|-------------------|
| BJY-CFSD100B-R6  | 545 x 476 x 835         | +5, -12 to -24      | 99                |
| BJY-CFSD200B-R6  | 635 x 556 x 835         | +5, -12 to -24      | 142               |
| BJY-CFSD300B-R6  | 823 x 556 x 835         | +5, -12 to -24      | 199               |
| BJY-CFSD400B-R6  | 1155 x 610 x 845        | +5, -12 to -24      | 300               |
| BJY-CFSD500B-R6  | 1365 x 730 x 835        | +5, -12 to -24      | 400               |
| BJY-CFSD600B-R6  | 1650 x 730 x 835        | +5, -12 to -24      | 500               |
| BJY-CFSD700B-R2  | 1880 x 730 x 935        | +2 to 8, -12 to -24 | 700               |
| BJY-CFSD1000C-R2 | 2215 x (780 + 57) x 945 | 0 to +10, 0 to -18  | 828               |



## ❄ Chest Freezer (With LED Light)



| Model             | BJY-CFGDLH400A-R2 | BJY-CFGDLH560A-R2 |
|-------------------|-------------------|-------------------|
| Temperature °C    | < 0 to -25        | < 0 to -25        |
| Dimension (mm)    | 1234 x 653 x 900  | 1634 x 653 x 900  |
| Capacity (Litres) | 396               | 516               |

## ❄ Deluxe Freezer



| Model             | BJY-DFGD520      | BJY-DFGD660      |
|-------------------|------------------|------------------|
| Temperature °C    | +0 to -10        | +0 to -10        |
| Dimension (mm)    | 1600 x 940 x 880 | 2030 x 940 x 880 |
| Capacity (Litres) | 520              | 660              |

## ❄ Chest Freezer



| Model             | BJY-CFGD400-B    | BJY-CFGD500-B    |
|-------------------|------------------|------------------|
| Temperature °C    | <-18             | <-18             |
| Dimension (mm)    | 1045 x 695 x 850 | 1045 x 695 x 850 |
| Capacity (Litres) | 301              | 301              |

## ❄ Island Freezer



| Model             | BJY-IFGD-600M    | BJY-IFGD-850M    |
|-------------------|------------------|------------------|
| Temperature °C    | 0 to -25°C       | 0 to -25°C       |
| Dimension (mm)    | 1520 x 760 x 890 | 2000 x 760 x 870 |
| Capacity (Litres) | 563              | 802              |

## ❄ Island Freezer (Combined Version)



| Model             | BJY-IFGD-600L<br>(End piece) | BJY-IFGD-700L    | BJY-IFGD850L     |
|-------------------|------------------------------|------------------|------------------|
| Temperature °C    | ≤ -18°C                      | ≤ -18°C          | ≤ -18°C          |
| Dimension (mm)    | 1870 x 875 x 835             | 2115 x 875 x 835 | 2502 x 875 x 835 |
| Capacity (Litres) | 600                          | 700              | 820              |

## ❄ Island Freezer (Combined Version)



| Model             | BJY-IFGD-630ETS<br>(End piece) | BJY-IFGD-850TS   |
|-------------------|--------------------------------|------------------|
| Temperature °C    | ≤ -18°C to -22°C               | ≤ -18°C to -22°C |
| Dimension (mm)    | 1850 x 850 x 855               | 2100 x 850 x 930 |
| Capacity (Litres) | 630                            | 850              |

# Ice Cream Range

## ❄ Ice Cream Machine



Table Top



Free Standing

| Model                   | 50Hz | BJY-ICM18B-TT                                                           | BJY-ICM18B-FS     | BJY-ICM28-PC-TT                                                                                                   | BJY-ICM28-PC-FS   |
|-------------------------|------|-------------------------------------------------------------------------|-------------------|-------------------------------------------------------------------------------------------------------------------|-------------------|
|                         | 60Hz | BJY-ICM18B-TT60                                                         | BJY-ICM18B-FS60   | -                                                                                                                 | -                 |
| Flavour                 |      | 2+1 Mixed Flavour                                                       | 2+1 Mixed Flavour | 2+1 Mixed Flavour                                                                                                 | 2+1 Mixed Flavour |
| Cylinder Volume         |      | 2.0L x 2                                                                | 2.0L x 2          | 2.0L x 2                                                                                                          | 2.0L x 2          |
| Hopper Volume           |      | 6.5L x 2                                                                | 6.5L x 2          | 6.5L x 2                                                                                                          | 6.5L x 2          |
| External Dimension (mm) |      | 715 x 560 x 780                                                         | 715 x 560 x 1380  | 715 x 560 x 780                                                                                                   | 715 x 560 x 1380  |
| Remark                  |      | One time can make 10 ~ 12 cup ice cream con;<br>3 ~ 5 minutes one cycle |                   | With 2 compressor; Pre Cooling System;<br>One time can make 16 ~ 20 cup ice cream con;<br>3 ~ 5 minutes one cycle |                   |

## Gelato Showcase

❄ Temperature °C (Celsius) : -25 to -20



| Model - Blue     | GS08-B                           | GS10-B                                 | GS12-B                                 |
|------------------|----------------------------------|----------------------------------------|----------------------------------------|
| Dimension (mm)   | 1350 x 1125 x 1300               | 1600 x 1125 x 1300                     | 1850 x 1125 x 1300                     |
| No. of Pan       | 8                                | 10                                     | 12                                     |
| Size of Pan (mm) | 360 x 250 x 80<br>(FP-ICS-1/2-3) | 360 x 250 x 80<br>(FP - ICS - 1/2 - 3) | 360 x 250 x 80<br>(FP - ICS - 1/2 - 3) |

\* Colour Option : Grey , Orange , Pink , White

# Shock Freezer

## Shock Freezer

❄ Temperature °C (Celsius) : -40 to  $\pm 2$



SF-1300-40-5



SF-1800-40-10

| Model                            | SF-1300-40-5     | SF-1800-40-10    |
|----------------------------------|------------------|------------------|
| Dimension (mm)                   | 800 x 840 x 1300 | 800 x 840 x 1800 |
| Gross Volume (Litres)            | 205              | 256              |
| No. of 1/1 Size Pan (Depth 65mm) | 5 Trays          | 10 Trays         |

# Ice Maker Machine

## ❄️ Cube Ice Machine - Undercounter



BJY-IM55



BJY-IM95

| Model (Dice Ice 22mm) | BJY-IM55                 | BJY-IM95                 |
|-----------------------|--------------------------|--------------------------|
| Dimension (mm)        | 500 x 590 x 850          | 660 x 685 x 920          |
| Output (lb / 24hr)    | (120 lb or 55 kg) / 24hr | (220 lb or 95 kg) / 24hr |

## ❄️ Cube Ice Machine - Free Standing



BJY-IM191 + IB-300



BJY-IM455 + IB-375



BJY-IM682 + IB-775

|                         |                          |                           |                           |
|-------------------------|--------------------------|---------------------------|---------------------------|
| Machine - Dice Ice 22mm | BJY-IM191                | BJY-IM455                 | BJY-IM682                 |
| Machine - Dice Ice 28mm | BJY-IM191LD              | BJY-IM455LD               | -                         |
| Ice Bin                 | IB-300                   | IB-375                    | IB-775                    |
| Product Dimension (mm)  | 560 x 810 x 1558         | 795 x 810 x 1895          | 1260 x 810 x 1825         |
| Machine                 | 560 x 618 x 568          | 795 x 595 x 745           | 1260 x 630 x 675          |
| Ice Bin                 | 560 x 810 x 990          | 780 x 810 x 1150          | 1230 x 810 x 1150         |
| Output (lb/24hr)        | (420 lb or 191kg) / 24hr | (1000 lb or 455kg) / 24hr | (1500 lb or 682kg) / 24hr |

## ❄️ Flake Ice Machine - Free Standing



BJY-IMF300 + IB-375

|                        |                           |
|------------------------|---------------------------|
| Machine                | BJY-IMF300                |
| Ice Bin                | IB-375                    |
| Product Dimension (mm) | 765 x 830 x 1795          |
| Machine                | 765 x 640 x 645           |
| Ice Bin                | 760 x 830 x 1150          |
| Output (lb / 24hr)     | (660 lb or 300 kg) / 24hr |





# ELECTRIC & GAS COOKING EQUIPMENT

A full line of commercial electrical and gas cooking equipment that has transformed the food and hospitality industry.



**SCAN HERE  
FOR MORE INFO**

- 
- 23** Griddle, Char Broiler & Open Burner
  - 26** Deep Fryer
  - 27** Paste Boiler
  - 28** Induction Range
  - 29** Kwali Range
  - 30** Bratt Pan & Kwali Ranges
  - 31** Shawerma  
Salamanda  
Rotisseries
  - 32** Rice Cooker  
Steamer & Roaster Range
  - 33** Other Range



# Griddle, Char Broiler & Open Burner

## ⚡ Electrical Griddle



EG5250-17

EG3500FS-17

| Model                                       | Table Top     | EG1750          | EG3000                | EG3500-17              | EG5250-17              |
|---------------------------------------------|---------------|-----------------|-----------------------|------------------------|------------------------|
|                                             | Free Standing | -               | EG3000FS              | EG3500FS-17            | EG5250FS-17            |
| Dimension (mm)<br>Table Top / Free Standing |               | 400 x 455 x 280 | 600 x 455 x 288 / 930 | 600 x 790 x 455 / 1010 | 900 x 790 x 455 / 1010 |
| Wattage (W)                                 |               | 1750            | 2700                  | 3500                   | 5250                   |

\* EG5250-17 & EG5250FS-17 – 3 phase is required

## 🔥 Gas Griddle



GG3B-17

GG4BFS-17

| Model                                       | Table Top     | GG2B-17                | GG3B-17                | GG4B-17                 |
|---------------------------------------------|---------------|------------------------|------------------------|-------------------------|
|                                             | Free Standing | GG2BFS-17              | GG3BFS-17              | GG4BFS-17               |
| Dimension (mm)<br>Table Top / Free Standing |               | 600 x 790 x 455 / 1010 | 900 x 790 x 455 / 1010 | 1200 x 790 x 455 / 1010 |
| Number of Burner                            |               | 2                      | 3                      | 4                       |

## ⚡ Electrical Griddle (Half Ribbed)



EG5250HR-17

EG5250HRFS-17

| Model                                       | Table Top     | EG3500HR-17            | EG5250HR-17            |
|---------------------------------------------|---------------|------------------------|------------------------|
|                                             | Free Standing | EG3500HRFS-17          | EG5250HRFS-17          |
| Dimension (mm)<br>Table Top / Free Standing |               | 600 x 790 x 455 / 1010 | 900 x 790 x 455 / 1010 |
| Wattage (W)                                 |               | 3500                   | 5250                   |

\* EG5250HR-17 & EG5250HRFS-17 – 3 phase is required

## 🔥 Gas Griddle (Half Ribbed)



GG2BHR-17

GG2BHRFS-17

| Model                                       | Table Top     | GG2BHR-17              |
|---------------------------------------------|---------------|------------------------|
|                                             | Free Standing | GG2BHRFS-17            |
| Dimension (mm)<br>Table Top / Free Standing |               | 600 x 790 x 455 / 1010 |
| Number of Burner                            |               | 2                      |



## Char Broiler



CB3B-17



CB5BFS-17

| Model                                       | Table Top     | CB3B-17                | CB5B-17                |
|---------------------------------------------|---------------|------------------------|------------------------|
|                                             | Free Standing | CB3BFS-17              | CB5BFS-17              |
| Dimension (mm)<br>Table Top / Free Standing |               | 600 x 790 x 455 / 1010 | 900 x 790 x 455 / 1010 |
| Number of Burner                            |               | 3                      | 5                      |

## Char Rock Broiler



CRB2B-17



CRB3BFS-17

| Model                                       | Table Top     | CRB2B-17               | CRB3B-17               |
|---------------------------------------------|---------------|------------------------|------------------------|
|                                             | Free Standing | CRB2BFS-17             | CRB3BFS-17             |
| Dimension (mm)<br>Table Top / Free Standing |               | 600 x 790 x 455 / 1010 | 900 x 790 x 455 / 1010 |
| Number of Burner                            |               | 2                      | 3                      |

## Combination Char Broiler Griddle



CB3BGG1B-17



CB3BGG1BFS-17

| Model                                       | Table Top     | CB3BGG1B-17            |
|---------------------------------------------|---------------|------------------------|
|                                             | Free Standing | CB3BGG1BFS-17          |
| Dimension (mm)<br>Table Top / Free Standing |               | 900 x 790 x 455 / 1010 |
| Number of Burner                            |               | 3 + 1                  |

## Combination Open Burner Griddle



OB4GG1B-17



OB4GG1BFS-17

| Model                                       | Table Top     | OB4GG1B-17             |
|---------------------------------------------|---------------|------------------------|
|                                             | Free Standing | OB4GG1BFS-17           |
| Dimension (mm)<br>Table Top / Free Standing |               | 900 x 790 x 455 / 1010 |
| Number of Burner                            |               | 4 + 1                  |

## Roti Canai / Chapati Griddle



| Model          | RCGG4BFS              |
|----------------|-----------------------|
| Dimension (mm) | 1220 x (870+60) x 930 |

## Char Broiler



OB4-17

OB6FS-17

| Model                                       | Table Top     | OB2S                  | OB2-17                 | OB4-17                 | OB6-17                 |
|---------------------------------------------|---------------|-----------------------|------------------------|------------------------|------------------------|
|                                             | Free Standing | OB2SFS                | OB2FS-17               | OB4FS-17               | OB6FS-17               |
| Dimension (mm)<br>Table Top / Free Standing |               | 600 x 417 x 350 / 860 | 300 x 790 x 455 / 1010 | 600 x 790 x 455 / 1010 | 900 x 790 x 455 / 1010 |
| Number of Burner                            |               | 2                     | 2                      | 4                      | 6                      |

## Combination Open Burner Griddle With Oven



| Model            | OB4GG1BWO-17     |
|------------------|------------------|
| Dimension (mm)   | 900 x 790 x 1010 |
| Number of Burner | 6                |

## Deluxe Range Oven With Open Burner



DRO4-17



DRO6-17

| Model            | DRO4-17          | DRO6-17          |
|------------------|------------------|------------------|
| Dimension (mm)   | 600 x 790 x 1010 | 900 x 790 x 1010 |
| Number of Burner | 4 + 1            | 6 + 1            |

## Stock Pot



SP 1



SP 2-HT



SP 2-HP

|                                    |                 |                  |
|------------------------------------|-----------------|------------------|
| Model (Low Pressure) : Ring Burner | SP 1            | SP 2             |
| Model (High Pressure) : Trumpet    | SP 1-HT         | SP 2-HT          |
| Model (High Pressure) : Pineapple  | SP 1-HP         | SP 2-HP          |
| Dimension (mm)                     | 600 x 600 x 520 | 1200 x 600 x 520 |
| Number of Burner                   | 1               | 2                |

# Deep Fryer

## ⚡ Electrical Deep Fryer



DF 12-17



DF 11D-17

| Model             | DF 13-17        | DF 12-17        | DF 11D-17       | DF 23S1B-17     |
|-------------------|-----------------|-----------------|-----------------|-----------------|
| Dimension (mm)    | 177 x 418 x 337 | 269 x 418 x 337 | 538 x 418 x 337 | 354 x 418 x 337 |
| Wattage (W)       | 2400            | 3000            | 3000 x 2        | 3000            |
| Capacity (Litres) | 6               | 9               | 9 x 2           | 12              |

## ⚡ Electrical Deep Fryer



SDF 12



FSSDF 12D

| Model             | SDF 12          | SDF 12D         | FSSDF 12        | FSSDF 12D       |
|-------------------|-----------------|-----------------|-----------------|-----------------|
| Dimension (mm)    | 310 x 550 x 440 | 640 x 550 x 440 | 310 x 590 x 990 | 640 x 590 x 990 |
| Wattage (W)       | 5500            | 5500 x 2        | 5500            | 5500 x 2        |
| Capacity (Litres) | 9               | 9 x 2           | 9               | 9 x 2           |

3 phase is required

## 🔥 Gas Deep Fryer



GDF 12



FSGDF 11D

| Model             | GDF 12          | GDF 11D         | FSGDF 12         | FSGDF 11D        |
|-------------------|-----------------|-----------------|------------------|------------------|
| Dimension (mm)    | 310 x 675 x 460 | 640 x 675 x 460 | 310 x 715 x 1020 | 640 x 715 x 1020 |
| Capacity (Litres) | 11              | 11 x 2          | 11               | 11 x 2           |

## 🔥 Gas Deep Fryer



GDFE1BFS-17



GDFE2BFS-17

| Model             | GDFE1BFS-17      | GDFE2BFS-17      |
|-------------------|------------------|------------------|
| Dimension (mm)    | 400 x 790 x 1090 | 400 x 790 x 1090 |
| Capacity (Litres) | 27               | 27               |

## 🔥 Gas Deep Fryer (Economy)



BJY-GDF55-1B



BJY-GDF55-2B

| Model             | BJY-GDF55-1B    | BJY-GDF55-2B    |
|-------------------|-----------------|-----------------|
| Dimension (mm)    | 300 x 510 x 470 | 580 x 510 x 470 |
| Capacity (Litres) | 5.5             | 5.5 x 2         |



## ⚡ Electrical Deep Fryer (Economy)



| Model             | BJY-EDF4-A      | BJY-EDDF35-A    |
|-------------------|-----------------|-----------------|
| Dimension (mm)    | 400 x 214 x 260 | 400 x 405 x 260 |
| Capacity (Litres) | 3               | 3 x 2           |

## 🔥 Tempura Fryer



| Model             | TF 24            |
|-------------------|------------------|
| Dimension (mm)    | 550 x 600 x 1070 |
| Capacity (Litres) | 34               |

# Pasta Boiler

## 🔥 Pasta Boiler



| Model          | GPB6BFS-17       |
|----------------|------------------|
| Dimension (mm) | 400 x 790 x 1010 |
| Cooking Basket | 3                |

## 🔥 Pasta Boiler



| Model          | BJY-GNB6-TT     |
|----------------|-----------------|
| Dimension (mm) | 630 x 730 x 535 |
| Cooking Basket | 6               |

## ⚡ Pasta Boiler



| Model          | BJY-ENB4-TT     |
|----------------|-----------------|
| Dimension (mm) | 430 x 650 x 480 |
| Wattage (W)    | 5000            |
| Cooking Basket | 4               |

# Induction Range

## ⚡ Induction Stock Pot



|                |                 |
|----------------|-----------------|
| Model          | BJY-IC-SP5.0KW  |
| Dimension (mm) | 570 x 630 x 645 |
| Wattage (W)    | 5000            |

\* Isolator 35A/1 phase is excluded

## ⚡ Induction Stock Pot



|                | Wok Induction Cooker | Stainless Steel Fry Wok |
|----------------|----------------------|-------------------------|
| Model          | BJY-IC-WOK3.5KW      | BJY-IC-WOK              |
| Dimension (mm) | 340 x 430 x 125      | Wok 36cm                |
| Wattage (W)    | 3500                 | N/A                     |

BJY-IC-WOK3.5KW

BJY-IC-WOK

## ⚡ Induction Cooker



| Model          | BJY-IC-3.5KW    | BJY-IC-5.0KW    | BJY-IC-BIS1.8KW | BJY-IC-BIS3.5KW |
|----------------|-----------------|-----------------|-----------------|-----------------|
| Dimension (mm) | 340 x 440 x 117 | 398 x 515 x 168 | 297 x 297 x 80  | 360 x 380 x 120 |
| Wattage (W)    | 3500            | 5000            | 1800            | 3500            |

\* BJY-IC-5.0KW – Isolator 35A/1 phase is excluded

BJY-IC-3.5KW

BJY-IC-BIS3.5KW

## ⚡ Induction Deep Fryer



| Model             | BJY-IC-1DF3.5KW | BJY-IC-2DF3.5KW |
|-------------------|-----------------|-----------------|
| Dimension (mm)    | 288 x 478 x 410 | 576 x 478 x 410 |
| Wattage (W)       | 3500            | 3500 x 2        |
| Capacity (Litres) | 8L              | 8L x 2          |

BJY-IC-1DF3.5KW

BJY-IC-2DF3.5KW

## ⚡ Induction Stove



| Model          | BJY-IC-ES4-3.5KW       | BJY-IC-ES6-3.5KW        |
|----------------|------------------------|-------------------------|
| Table Top      | BJY-IC-EG/ES-TT        | BJY-IC-EG/ES-TT         |
| Free Standing  | BJY-IC-EG/ES-FS        | BJY-IC-EG/ES-FS         |
| Dimension (mm) | 790 x 840 x 390 / 1010 | 1150 x 840 x 390 / 1010 |
| Wattage (W)    | 3500 x 4               | 3500 x 6                |
| Number of Hob  | 4                      | 6                       |

\* Isolator 35A/1 phase is excluded

BJY-IC-ES4-3.5KW  
(Table Top)

BJY-IC-ES6-3.5KW  
(Free Standing)

## ⚡ Induction Griddle



**BJIY-IC-EG-5.0KW**  
(Table Top)



**BJIY-IC-EG-5.0KW**  
(Free Standing)

|                |                        |
|----------------|------------------------|
| Model          | BJIY-IC-EG5.0KW        |
| Table Top      | BJIY-IC-EG/ES-TT       |
| Free Standing  | BJIY-IC-EG-FS          |
| Dimension (mm) | 700 x 800 x 480 / 1010 |
| Wattage (W)    | 5000                   |

\* Isolator 35A/1 phase is excluded

## Kwali Range

### 🔥 Kwali Range with Cast Iron Ring (Standard Type)



**KR-S-1**



**KR-S-3**

| Model            | KR-S-1                  | KR-S-2                   | KR-S-3                   | KR-S-4                   |
|------------------|-------------------------|--------------------------|--------------------------|--------------------------|
| Dimension (mm)   | 710 x 765 x (720 + 495) | 1220 x 765 x (720 + 495) | 1830 x 765 x (720 + 495) | 2440 x 765 x (720 + 495) |
| Number of Burner | 1                       | 2                        | 3                        | 4                        |

### 🔥 Kwali Range (Economy Type)



**KR-E-2**



**KR-E-4**

| Model       | Dimension (mm)           | Number of Burner |
|-------------|--------------------------|------------------|
| KE-E-1      | 710 x 720 x (690 + 385)  | 1                |
| KE-E-2      | 1220 x 720 x (690 + 385) | 2                |
| KE-E-3-5    | 1525 x 720 x (690 + 385) | 3                |
| KE-E-3-6    | 1830 x 720 x (690 + 385) | 3                |
| KE-E-4      | 2135 x 710 x (690 + 385) | 4                |
| KE-E-2-4225 | 1070 x 635 x (690 + 380) | 2                |
| KE-E-3-6625 | 1680 x 635 x (690 + 380) | 3                |

### 🔥 Kwali Range with Cast Iron Ring (Standard + Economy Type)



**KR-SE-1-2828**

| Model            | KR-SE-1-2828            | KR-SE-2-2828             | KR-SE-3-2828             | KR-SE-4-2828             |
|------------------|-------------------------|--------------------------|--------------------------|--------------------------|
| Dimension (mm)   | 710 x 720 x (690 + 385) | 1220 x 720 x (690 + 385) | 1830 x 720 x (690 + 385) | 2135 x 720 x (690 + 385) |
| Number of Burner | 1                       | 2                        | 3                        | 4                        |

## Kwali Range & Soup Ring



KR-2-1S



KR-3-1S



KR-4-1S-1-L

| Model            | KR-2-1S                  | KR-3-1S                  | KR-4-1S-1-L               | KR-4-1S2R-L                           | KSP        |
|------------------|--------------------------|--------------------------|---------------------------|---------------------------------------|------------|
| Dimension (mm)   | 2210 x 920 x (720 + 495) | 2745 x 920 x (720 + 495) | 3355 x 1070 x (835 + 495) | 3353 x 1067 x 1219                    | ø510 x 370 |
| Number of Burner | 2 Burner 1 Soup Ring     | 3 Burner 1 Soup Ring     | 4 Burner 1 Soup Ring      | 4 Burner 1 Soup Ring<br>2 Rear Burner | N/A        |

## Bratt Pan & Kwali Ranges

### Gas Boiling Pan



| Model             | BP 30     | BP 30B (Basket) |
|-------------------|-----------|-----------------|
| Dimension (mm)    | 530 x 530 | 460 x 450       |
| Capacity (Litres) | 110       | -               |

### Gas Kwali Cooker



| Model             | KC 24     | KC 36      | KC 48      |
|-------------------|-----------|------------|------------|
| Dimension (mm)    | 930 x 920 | 1230 x 920 | 1500 x 920 |
| Capacity (Litres) | 20        | 80         | 200        |

### Gas Tilting Pan



| Model             | TP-3237          |
|-------------------|------------------|
| Dimension (mm)    | 940 x 1040 x 980 |
| Capacity (Litres) | 80               |

### Gas Tilting Kettle



|                   | Cast Iron Wok     | Stainless Steel Wok |
|-------------------|-------------------|---------------------|
| Model             | TK-43CW           | TK-43SW             |
| Dimension (mm)    | 1400 x 800 x 1120 | 1400 x 880 x 1120   |
| Capacity (Litres) | 180               | 180                 |



# Shawerma

## Shawerma Griller / Kebab Machine



KM2H (Auto)



KM2B (Auto)



KM3 (Manual)

| Model                 | Automatic Operated |                 | Automatic Operated |                 | Manual Operated      |                      |
|-----------------------|--------------------|-----------------|--------------------|-----------------|----------------------|----------------------|
|                       | Electrical         |                 | Gas                |                 |                      |                      |
|                       | KM2H               | KM3H            | KM2B               | KM3B            | KM2                  | KM3                  |
| Dimension (mm)        | 520 x 635 x 770    | 520 x 635 x 968 | 480 x 675 x 780    | 480 x 675 x 975 | 408 x 508 + 30 x 602 | 408 x 508 + 30 x 777 |
| Wattage (W)           | 5000               | 7500            | -                  | -               | -                    | -                    |
| Capacity (kg of meat) | 15 ~ 20            | 20 ~ 30         | 15 ~ 20            | 20 ~ 30         | 15 ~ 20              | 20 ~ 30              |

# Salamanda

## Salamanda



SALA 11N



E SALA 11

| Model          | Gas             |                 | Electrical      |
|----------------|-----------------|-----------------|-----------------|
|                | SALA 11N        | SALA 22N        | E SALA 11       |
| Dimension (mm) | 640 x 580 x 525 | 945 x 580 x 525 | 710 x 450 x 370 |
| Wattage (W)    | -               | -               | 2700            |

# Rotisseries

## Gas Rotisseries



| Model            | GR 001           |
|------------------|------------------|
| Dimension (mm)   | 850 x 600 x 1050 |
| Number of Burner | 2                |

# Rice Cooker

## ⚡ Electrical Rice Cooker



|                   |                  |
|-------------------|------------------|
| Model             | BJJ-ERC64-N      |
| Dimension (mm)    | 460 x 505 x 380  |
| Capacity (Litres) | 8.5 (45 persons) |

## 🔥 Gas Rice Cooker



|                   |                    |
|-------------------|--------------------|
| Model             | BJJ-GRC60          |
| Dimension (mm)    | 550Ø x 450         |
| Capacity (Litres) | 10 (50-60 persons) |

# Steamer & Roaster Range

## 🔥 Duck Roaster / Apollo Stove



Without Hanger



With Hanger

|                        |                |            |            |
|------------------------|----------------|------------|------------|
| Charcoal               | Without Hanger | A-C27      | A-C33      |
|                        | With Hanger    | A-HC27     | A-HC33     |
| Gas                    | Without Hanger | A-G27      | A-G33      |
|                        | With Hanger    | A-HG27     | A-HG33     |
| Dimension (Ø x H) (mm) |                | 685 x 1270 | 840 x 1525 |

|                        |           |
|------------------------|-----------|
| Model : Charcoal Stove | CS        |
| Dimension (Ø x H) (mm) | 320 x 300 |

## 🔥 Charcoal Lamb Roaster



|                |                  |
|----------------|------------------|
| Model          | LR-47            |
| Dimension (mm) | 1230 x 760 x 760 |

## 🔥 Tandoori Stove



|                |                 |
|----------------|-----------------|
| Model          | TS-CHARCOAL     |
|                | TS-GAS          |
| Dimension (mm) | 760 x 760 x 840 |

## Automatic Fish Steamer Include Netting



| Model          | AFS-2            |                 |
|----------------|------------------|-----------------|
| Dimension (mm) | 635 x 710 x 1575 | 35 x 710 x 1575 |
| Number of Deck | 2                | 4               |

## Tim Sum Steamer



| Model          | TSS-1           | TSS-2            |
|----------------|-----------------|------------------|
| Dimension (mm) | 760 x 760 x 800 | 1525 x 760 x 800 |

## Other Range

### Double Stove



| Model          | BJY-STOVE2-TT   |
|----------------|-----------------|
| Dimension (mm) | 720 x 400 x 180 |



# FOODSERVICE EQUIPMENT

A diverse range of commercial kitchen equipment designed to fulfil the diverse requirements of the food service industry. Whether you run a small café or a large-scale restaurant, our products are built to deliver exceptional performance, durability, and efficiency





**SCAN HERE**  
FOR MORE INFO

- 
- 36** Warmer & Steamer
  - 40** Water Boiler
  - 43** Beverage Equipment
  - 44** Catering Equipment
  - 46** Food Preparation Machine
  - 49** Dish Washer  
Insect Killer  
Air Cooler



# Warmer & Steamer

## Hot Display Warmer



Colourbond Base  
Curve (2 Tier)



Colourbond Base  
Rectangular (3 Tier)



Stainless Steel Base  
Curve (2 Tier)



Stainless Steel Base  
Rectangular (3 Tier)

|                         |             |        |                  |                   |                   |                   |                   |
|-------------------------|-------------|--------|------------------|-------------------|-------------------|-------------------|-------------------|
| Stainless Steel Base    | Curve       | 2 Tier | HDW-09SS-2       | HDW-12SS-2        | HDW-15SS-2        | HDW-18SS-2        | HDW-24SS-2        |
|                         |             | 3 Tier | HDW-09SS-3       | HDW-12SS-3        | HDW-15SS-3        | HDW-18SS-3        | HDW-24SS-3        |
|                         | Rectangular | 2 Tier | RHDW-09SS-2      | RHDW-12SS-2       | RHDW-15SS-2       | RHDW-18SS-2       | RHDW-24SS-2       |
|                         |             | 3 Tier | RHDW-09SS-3      | RHDW-12SS-3       | RHDW-15SS-3       | RHDW-18SS-3       | RHDW-24SS-3       |
| Colourbond Base         | Curve       | 2 Tier | HDW09SB13-2      | HDW12SB13-2       | HDW15SB13-2       | HDW18SB13-2       | HDW24SB13-2       |
|                         |             | 3 Tier | HDW09SB13-3      | HDW12SB13-3       | HDW15SB13-3       | HDW18SB13-3       | HDW24SB13-3       |
|                         | Rectangular | 2 Tier | RHDW09SB13-2     | RHDW12SB13-2      | RHDW15SB13-2      | RHDW18SB13-2      | RHDW24SB13-2      |
|                         |             | 3 Tier | RHDW09SB13-3     | RHDW12SB13-3      | RHDW15SB13-3      | RHDW18SB13-3      | RHDW24SB13-3      |
| Dimension (mm)          |             |        | 900 x 700 x 1350 | 1200 x 700 x 1350 | 1500 x 700 x 1350 | 1800 x 700 x 1350 | 2400 x 700 x 1350 |
| Temperature°C (celsius) |             |        | 40 - 70          | 40 - 70           | 40 - 70           | 40 - 70           | 40 - 70           |
| Wattage (W)             |             |        | 1660             | 1680 - 1730       | 1700 - 1750       | 2897 - 3350       | 3390 - 3460       |

## Food Warmer



| Model | Dimension (mm)          | No. of Shelving | Wattage (W) |
|-------|-------------------------|-----------------|-------------|
| FW 35 | 557 x (337 + 84) x 515  | 3               | 810         |
| FW 40 | 557 x (362 + 84) x 720  | 5               | 1060        |
| FW 45 | 797 x (337 + 84) x 515  | 3               | 1060        |
| FW 50 | 797 x (362 + 84) x 720  | 5               | 1560        |
| FW 55 | 1000 x (501 + 84) x 620 | 3               | 1590        |

## Food Warmer with Thermometer



| One Side Sliding Door | Two Side Sliding Door | Dimension (mm)         | No. of Shelving | Wattage (W) |
|-----------------------|-----------------------|------------------------|-----------------|-------------|
| NFW35-1               | NFW35-2               | 560 x (360 + 86) x 515 | 3               | 860         |
| NFW40-1               | NFW40-2               | 560 x (360 + 86) x 724 | 5               | 860         |
| NFW45-1               | NFW45-2               | 800 x (360 + 86) x 515 | 3               | 1160        |
| NFW50-1               | NFW50-2               | 800 x (360 + 86) x 724 | 5               | 1160        |
| NFW55-1               | NFW55-2               | 997 x (495 + 86) x 617 | 3               | 1190        |

## Display Warmer



| Model                          | DW 211          | DW 311           |
|--------------------------------|-----------------|------------------|
| Dimension (mm)                 | 760 x 750 x 530 | 1095 x 750 x 530 |
| Food Pan Capacity (65mm Depth) | 2 full size     | 3 full size      |
| Wattage (W)                    | 2200            | 2900             |

## ⚡ Display Warmer



| Model          | 50Hz | BJY-PW-120L     | BJY-PW-160L     |
|----------------|------|-----------------|-----------------|
|                | 60Hz | BJY-PW-120L-60  | BJY-PW-160L-60  |
| Dimension (mm) |      | 678 x 568 x 686 | 856 x 568 x 686 |
| Wattage (W)    |      | 1100            | 1500            |

## ⚡ Pie Warmer



| Model           | FW-5G                  |
|-----------------|------------------------|
| Dimension (mm)  | 600 x (398 + 37) x 540 |
| No. of Shelving | 3                      |
| Wattage (W)     | 860                    |

## ⚡ Warmer



| Model          | BJY-W77         |
|----------------|-----------------|
| Dimension (mm) | 570 x 370 x 230 |
| Wattage (W)    | 1200            |

## ⚡ Mini Infra Red Food Warmer



| Model          | MIR 11          |
|----------------|-----------------|
| Dimension (mm) | 615 x 335 x 420 |
| Wattage (W)    | 510             |

## ⚡ Infra Red Heating Lamp



| Model          | IR 510         | IR 810         | IR 1000         |
|----------------|----------------|----------------|-----------------|
| Dimension (mm) | 610 x 155 x 65 | 915 x 155 x 65 | 1200 x 155 x 65 |
| Wattage (W)    | 510            | 810            | 1000            |

## ⚡ Rice Warmer



| Model          | RW 20           |
|----------------|-----------------|
| Dimension (mm) | 510 x 510 x 860 |

## ⚡ Rice Warmer



| Model             | BJY-ERW13       |
|-------------------|-----------------|
| Dimension (mm)    | 455 x 455 x 407 |
| Capacity (Litres) | 13              |
| Wattage (W)       | 105             |

## ⚡ Dish Warmer



| Model           | BJY-EDW1        | BJY-EDW2        |
|-----------------|-----------------|-----------------|
| Dimension (mm)  | 450 x 450 x 930 | 880 x 450 x 930 |
| No. of Shelving | 1               | 2               |
| Wattage (W)     | 450             | 900             |

## ⚡ Hot Dog Warmer with Cover



| Model          | BJY-HD07-N      |
|----------------|-----------------|
| Dimension (mm) | 590 x 330 x 260 |
| No. of Roller  | 7               |
| Wattage (W)    | 1580            |

## ⚡ Coffee Warmer



Coffee Warmer

Decantor

|                | Coffee Warmer  | Decantor |
|----------------|----------------|----------|
| Model          | BJY-CW2W       | DI-N     |
| Dimension (mm) | 350 x 170 x 80 | -        |

## 🔥 Gas BBQ Burner



| Model          | BBQ 001         | BBQ 002         |
|----------------|-----------------|-----------------|
| Dimension (mm) | 670 x 300 x 160 | 980 x 300 x 160 |

## ⚡🔥 Corn Steamer



|                  | Electrical |            | Gas        |
|------------------|------------|------------|------------|
| Model            | ECS 46SSC  | ECS 63SSC  | GC5 55SSC  |
| Dimension (mm)   | Ø390 x 465 | Ø395 x 550 | Ø395 x 550 |
| Capacity (Corns) | 20         | 20         | 20         |
| Wattage (W)      | 3000       | 3000       | -          |



## ⚡ Steam Machine / Pao Steamer



ESM 44



ESM 66

| Model          | Electrical      |                 | Gas              |
|----------------|-----------------|-----------------|------------------|
|                | ESM 44          | ESM 55          | ESM 66           |
| Dimension (mm) | 380 x 425 x 795 | 480 x 525 x 910 | 670 x 635 x 1580 |
| Wattage (W)    | 1130            | 1130            | -                |

## ⚡ Bain Marie



### Without Overshelf

| Model    |        | Dimension (mm)   | No. of Food Pan             | Wattage (W) |
|----------|--------|------------------|-----------------------------|-------------|
| Advance  | Normal |                  |                             |             |
| BM 3-24  | BM 3   | 1105 x 760 x 840 | 3 full size or 6 half size  | 3000        |
| BM 4-24  | BM 4   | 1435 x 760 x 840 | 4 full size or 8 half size  | 3000        |
| BM 5-24  | BM 5   | 1765 x 760 x 840 | 5 full size or 10 half size | 3000        |
| BM 6-24  | BM 6   | 2095 x 760 x 840 | 6 full size or 12 half size | 3000        |
| BM 15-24 | BM 15  | 1830 x 965 x 840 | 15 half size                | 3000        |
| BM 18-24 | BM 18  | 2135 x 965 x 840 | 18 half size                | 3000        |
| BM 21-24 | BM 21  | 2440 x 965 x 840 | 21 half size                | 3000        |



2 Tier Overshelf

### With Overshelf

| Model     |           |        |        | Dimension (mm)           | No. of Food Pan             | Wattage (W) |
|-----------|-----------|--------|--------|--------------------------|-----------------------------|-------------|
| Advance   |           | Normal |        |                          |                             |             |
| 1 Tier    | 2 Tier    | 1 Tier | 2 Tier |                          |                             |             |
| BM 3-1-24 | BM 3-2-24 | BM 3-1 | BM 3-2 | 1105 x 760 x (840 + 810) | 3 full size or 6 half size  | 3000        |
| BM 4-1-24 | BM 4-2-24 | BM 4-1 | BM 4-2 | 1435 x 760 x (840 + 810) | 4 full size or 8 half size  | 3000        |
| BM 5-1-24 | BM 5-2-24 | BM 5-1 | BM 5-2 | 1765 x 760 x (840 + 810) | 5 full size or 10 half size | 3000        |
| BM 6-1-24 | BM 6-2-24 | BM 6-1 | BM 6-2 | 2095 x 760 x (840 + 810) | 6 full size or 12 half size | 3000        |

\* Advance Type comes with water level sound alert and heater control

## ⚡ Bain Marie with Clear Glass Overshelf



| Model           | S-MBM-CG15        | S-MBM-CG18        | S-MBM-CG21        |
|-----------------|-------------------|-------------------|-------------------|
| Dimension (mm)  | 1830 x 965 x 1602 | 2134 x 965 x 1602 | 2438 x 965 x 1602 |
| No. of Food Pan | 15                | 18                | 21                |

## ⚡ Mini Bain Marie Counter



BMC-4WC



BMC-FP4

| Model<br>(With Food Tray) | With Cover    | BMC 4WC         | BMC 5WC          | BMC 6WC          | BMC 8WC          |
|---------------------------|---------------|-----------------|------------------|------------------|------------------|
|                           | Without Cover | BMC 4           | BMC 5            | BMC 6            | BMC 8            |
| Dimension (mm)            |               | 885 x 330 x 270 | 1083 x 330 x 270 | 1275 x 330 x 270 | 1670 x 330 x 270 |
| No. of Food Tray          |               | 4               | 5                | 6                | 8                |
| Wattage (W)               |               | 1000            | 1200             | 1400             | 1400             |

| Model<br>(With Food Pan) | With Cover    | BMC-FP3WC        | BMC-FP4WC        |
|--------------------------|---------------|------------------|------------------|
|                          | Without Cover | BMC-FP3          | BMC-FP4          |
| Dimension (mm)           |               | 1075 x 295 x 290 | 1395 x 295 x 290 |
| No. of Food Tray         |               | 3                | 4                |
| Wattage (W)              |               | 1000             | 1400             |

## ⚡ Hot Food Display



| Model          | HFD24-65         | HFD24-100        | HFD25-65          | HFD25-100        |
|----------------|------------------|------------------|-------------------|------------------|
| Dimension (mm) | 1355 x 615 x 765 | 1355 x 615 x 765 | 1680 x 615 x 765  | 1680 x 615 x 765 |
| Capacity       | 8 x FP 1/2 - 2.5 | 8 x FP 1/2 - 4   | 10 x FP 1/2 - 2.5 | 10 x FP 1/2 - 4  |
| Wattage (W)    | 3000             | 3000             | 3000              | 3000             |

# Water Boiler

## ⚡ Water Boiler



BJJ-WB23

BJJ-WB40 / BJJ-WB60  
/ BJJ-WB80

Water Boiler and Stand

### Water Boiler

| Model             | BJJ-WB23        | BJJ-WB40        | BJJ-WB60                         | BJJ-WB80        |
|-------------------|-----------------|-----------------|----------------------------------|-----------------|
| Dimension (mm)    | 430 x 390 x 660 | 430 x 390 x 760 | 540 x 390 x 830                  | 540 x 390 x 930 |
| Capacity (Litres) | 21              | 26              | 42                               | 50              |
| Wattage (W)       | 3000            | 3000            | 6000                             | 6000            |
| Remarks           | -               | -               | Isolator 35A/1 Phase is required |                 |

### Optional: Water Boiler Stand

| Model          | - | FS-WB40         | FS-WB60         | FS-WB80         |
|----------------|---|-----------------|-----------------|-----------------|
| Dimension (mm) | - | 415 x 540 x 916 | 525 x 540 x 916 | 525 x 540 x 916 |

## ⚡ Water Boiler with PU Insulation



BJJ-WBPU40-N

BJJ-WBPU60-N /  
BJJ-WBPU80-N

Water Boiler and Stand

### Water Boiler with PU Installation

| Model             | BJJ-WBPU40-N    | BJJ-WBPU60-N                                           | BJJ-WBPU80-N     |
|-------------------|-----------------|--------------------------------------------------------|------------------|
| Dimension (mm)    | 405 x 360 x 820 | 510 x 360 x 820                                        | 510 x 360 x 1000 |
| Capacity (Litres) | 32              | 48                                                     | 64               |
| Wattage (W)       | 3000            | 6000                                                   | 6000             |
| Remarks           | -               | Single / Three Phase. Isolator 35A/1 Phase is required |                  |

### Optional: Water Boiler Stand

| Model          | FS-WBPU40-N     | FS-WBPU60-N     | FS-WBPU80-N     |
|----------------|-----------------|-----------------|-----------------|
| Dimension (mm) | 400 x 540 x 916 | 450 x 540 x 916 | 450 x 540 x 916 |

## ⚡ Water Boiler with PU Insulation - Digital Control



| Model             | BJJ-WBPU10DT    | BJJ-WBPU30DT    |
|-------------------|-----------------|-----------------|
| Dimension (mm)    | 180 x 320 x 630 | 180 x 430 x 740 |
| Capacity (Litres) | 10              | 30              |
| Wattage (W)       | 2000            | 3000            |

## ⚡ Water Boiler



WBTT-EA



WBTT-GA



WB-GA

| Model             | Electrical    |                 | Gas             | Gas Type with Double Insulation |
|-------------------|---------------|-----------------|-----------------|---------------------------------|
|                   | Table Top     | WBTT-EA         | WBTT-GA         | -                               |
|                   | Free Standing | -               | -               | WB-GA                           |
| Dimension (mm)    | Table Top     | 595 x 495 x 710 | 595 x 495 x 710 | -                               |
|                   | Free Standing | -               | -               | 630 x 565 x 1650                |
| Capacity (Litres) |               | 80              | 80              | 80                              |
| Wattage (W)       |               | 2000            | 3000            | -                               |

## Coffee Boiler



CFS-E-C



CFS-E



CFS-GM



CFS-GA

|                | Economy Type<br>with Cup Holder | Economy Type<br>without Cup Holder | Double Insulation Gas Manual | Double Insulation Gas Auto |
|----------------|---------------------------------|------------------------------------|------------------------------|----------------------------|
| Model          | CFS-E-C                         | CFS-E                              | CFS-GM                       | CFS-GA                     |
| Dimension (mm) | 610 x 406 x 840                 | 610 x 406 x 840                    | 610 x 406 x 840              | 610 x 406 x 840            |

## Water Urn



| Model             | WU-CH-20L | WU-CH-30L | WU-CH-40L | WU-CH-50L |
|-------------------|-----------|-----------|-----------|-----------|
| Dimension (mm)    | 430 x 275 | 450 x 330 | 460 x 380 | 538 x 380 |
| Capacity (Litres) | 20        | 30        | 40        | 50        |
| Wattage (W)       | 2800      | 2800      | 2800      | 2800      |



| Model             | BJY-U20-B  | BJY-U30-B  |
|-------------------|------------|------------|
| Dimension (mm)    | ø270 X 587 | ø310 X 640 |
| Capacity (Litres) | 20         | 30         |
| Wattage (W)       | 2250       | 2600       |

## Water Dispenser



BJY-CWD6.6L



BJY-YLR600A

|                   | Cold             | Hot & Cold       |
|-------------------|------------------|------------------|
| Model             | BJY-CWD6.6L      | BJY-YLR600A      |
| Dimension (mm)    | 350 x 420 x 1100 | 410 x 300 x 1250 |
| Capacity (Litres) | Hot Water        | 4                |
|                   | Cold Water       | 4                |
| Wattage (W)       | 300              | 1000             |



# Beverage Equipment

## ⚡ Juice Dispenser



JD318 JET 25



JD318 MIX 25

|                        |            | 1 Bowl |                 | 2 Bowls         | 3 Bowls         |
|------------------------|------------|--------|-----------------|-----------------|-----------------|
| Model                  | Jet System | 50Hz   | JD118 Jet 25    | JD218 Jet 25    | JD318 Jet 25    |
|                        |            | 60Hz   | JD118 Jet 26    | JD218 Jet 26    | JD318 Jet 26    |
|                        | Mix System | 50Hz   | JD118 Mix 25    | JD218 Mix 25    | JD318 Mix 25    |
|                        |            | 60Hz   | JD118 Mix 26    | JD218 Mix 26    | JD318 Mix 26    |
| Dimension (mm)         |            |        | 210 x 450 x 710 | 410 x 450 x 710 | 610 x 450 x 710 |
| Bowl Capacity (Litres) |            |        | 18              | 18 + 18         | 18 + 18 + 18    |
| Wattage (W)            |            |        | 380             | 570             | 620             |

## ⚡ Buffet Juice Dispenser



| Model             | BJY-BJD1 (1 Tank) | BJY-BJD2 (2 Tank) |
|-------------------|-------------------|-------------------|
| Dimension (mm)    | 270 x 360 x 590   | 580 x 360 x 590   |
| Capacity (Litres) | 8                 | 8 x 2             |

## ⚡ Commercial Blender



BJY-CB2L-B



BJY-CB2SC-B



BJY-CB2SC-MAX

| Model             | BJY-CB2L-B<br>(Without Cover) | BJY-CB2SC-B<br>(With Cover) | BJY-CB2SC-MAX<br>(With Cover) |
|-------------------|-------------------------------|-----------------------------|-------------------------------|
| Dimension (mm)    | 190 x 220 x 480               | 235 x 270 x 520             | 225 x 270 x 445               |
| Capacity (Litres) | 2                             | 2                           | 2                             |
| Wattage (W)       | 1800                          | 1500                        | 1500                          |

## ⚡ Juice Extractor Pulp Container



| Model             | 50Hz            | BJY-JE65C   |
|-------------------|-----------------|-------------|
|                   | 60Hz            | BJY-JE65C60 |
| Dimension (mm)    | 358 x 220 x 300 |             |
| Capacity (Litres) | 65              |             |
| Wattage (W)       | 180             |             |

## Ice Bin with Stand



| Model          | IB-WS           |
|----------------|-----------------|
| Dimension (mm) | 450 x 760 x 840 |

## ⚡ Ice Shaver (coarse) c/w Ice Tray



| Model             | BJY-ISC7A       |
|-------------------|-----------------|
| Dimension (mm)    | 420 x 175 x 270 |
| Capacity (Litres) | 7               |

## ⚡ Ice Shaving Machine



| Model             | BJY-IS18        |
|-------------------|-----------------|
| Dimension (mm)    | 350 x 290 x 430 |
| Capacity (Litres) | 18              |
| Wattage (W)       | 250             |

# Catering Equipment

## ⚡ Chafing Dish



BJY-CD



BJY-RTCD-O



BJY-RTCD-R

|                   | Chafing Dish    | Oblong Round Chafing Dish<br>Full Roll Top Cover | Round Chafing Dish<br>Full Top Cover |
|-------------------|-----------------|--------------------------------------------------|--------------------------------------|
| Model             | BJY-CD          | BJY-RTCD-O                                       | BJY-RTCD-R                           |
| Dimension (mm)    | 575 x 350 x 330 | 625 x 490 x 400                                  | 540 x 485 x 490                      |
| Capacity (Litres) | 9               | 9                                                | 6                                    |

## ⚡ Chafing Dish with Lid Knob



BJY-CD50



BJY-CD75



BJY-CD135

| Model             | BJY-CD35        | BJY-CD50        | BJY-CD75        | BJY-CD135       |
|-------------------|-----------------|-----------------|-----------------|-----------------|
| Dimension (mm)    | 420 x 340 x 300 | 420 x 340 x 300 | 420 x 340 x 330 | 420 x 340 x 400 |
| Capacity (Litres) | 3.5             | 5               | 7.5             | 13.5            |

## ⚡ Soup Kettle



BJY-9SK



BJY-11SK-BK



BJY-11SK-SS

| Model             | BJY-9SK   | BJY-11SK-BK | BJY-11SK-SS |
|-------------------|-----------|-------------|-------------|
| Dimension (mm)    | 360 x 370 | 315 x 355   | 315 x 355   |
| Capacity (Litres) | 9         | 11          | 11          |

## ⚡ Insert Soup Kettle



BJJ-PSK7



BJJ-PSK11

| Model             | BJJ-PSK7        | BJJ-PSK11       |
|-------------------|-----------------|-----------------|
| Dimension (mm)    | 310 x 240 x 340 | 360 x 290 x 350 |
| Capacity (Litres) | 7               | 11              |

## Vegetable Pan & Cover



BJJ-VIP4



BJJ-VIP11

| Model             | Pan   | BJJ-VIP4        | BJJ-VIP7        | BJJ-VIP11       |
|-------------------|-------|-----------------|-----------------|-----------------|
|                   | Cover | BJJ-VIC4        | BJJ-VIC7        | BJJ-VIC11       |
| Dimension (mm)    | Pan   | 190 x 190 x 215 | 240 x 240 x 215 | 290 x 290 x 215 |
|                   | Cover | 190 x 190       | 240 x 240       | 290 x 290       |
| Capacity (Litres) |       | 4               | 7               | 11              |

## Perforated Food Pan



| Model          | Full size      |                 |                 | Half size      |                 |                 |
|----------------|----------------|-----------------|-----------------|----------------|-----------------|-----------------|
|                | BJJ-FP 1 / 1-2 | BJJ-FP 1 / 1-4  | BJJ-FP 1 / 1-6  | BJJ-FP 1 / 2-2 | BJJ-FP 1 / 2-4  | BJJ-FP 1 / 2-6  |
| Dimension (mm) | 530 x 325 x 65 | 530 x 325 x 100 | 530 x 325 x 150 | 325 x 264 x 65 | 325 x 265 x 100 | 325 x 265 x 150 |

## Food Pan & Cover

### Food Pan

Full size (6pcs/carton)

| Model        | Dimension (mm)  |
|--------------|-----------------|
| FP 1 / 1-2.5 | 530 x 325 x 65  |
| FP 1 / 1-4   | 530 x 325 x 100 |
| FP 1 / 1-6   | 530 x 325 x 150 |
| FP 1 / 1-8   | 530 x 325 x 205 |

Half size (12pcs/carton)

| Model        | Dimension (mm)  |
|--------------|-----------------|
| FP 1 / 2-2.5 | 325 x 265 x 65  |
| FP 1 / 2-4   | 325 x 265 x 100 |
| FP 1 / 2-6   | 325 x 265 x 150 |
| FP 1 / 2-8   | 325 x 265 x 205 |

Third size (18pcs/carton)

| Model        | Dimension (mm)  |
|--------------|-----------------|
| FP 1 / 3-2.5 | 325 x 176 x 65  |
| FP 1 / 3-4   | 325 x 176 x 100 |
| FP 1 / 3-6   | 325 x 176 x 150 |
| -            | -               |

Quarter size (24pcs/carton)

| Model        | Dimension (mm)  |
|--------------|-----------------|
| FP 1 / 4-2.5 | 265 x 162 x 65  |
| FP 1 / 4-4   | 265 x 162 x 100 |
| FP 1 / 4-6   | 265 x 162 x 150 |

Sixth size (36pcs/carton)

| Model        | Dimension (mm)  |
|--------------|-----------------|
| FP 1 / 6-2.5 | 176 x 162 x 65  |
| FP 1 / 6-4   | 176 x 162 x 100 |
| FP 1 / 6-6   | 176 x 162 x 150 |

Ninth size (48pcs/carton)

| Model        | Dimension (mm)  |
|--------------|-----------------|
| FP 1 / 9-2.5 | 176 x 108 x 65  |
| FP 1 / 9-4   | 176 x 108 x 100 |
| FP 1 / 9-6   | 176 x 108 x 150 |

### Cover

| Model             | FP11C | FP12C | FP13C | FP14C   | FP16C | FP19C |
|-------------------|-------|-------|-------|---------|-------|-------|
| Size              | Full  | Half  | Third | Quarter | Sixth | Ninth |
| Pieces per Carton | 6     | 12    | 18    | 24      | 36    | 48    |



## Cake Pan



| Model          | CP-1120        | CP-2120        |
|----------------|----------------|----------------|
| Dimension (mm) | 530 x 325 x 20 | 650 x 530 x 20 |

## Baking Tray



| Model          | I/BT           |
|----------------|----------------|
| Dimension (mm) | 605 x 405 x 45 |

## ⚡ Waffle Baker



1 Head

2 Heads

| Model          | BJY-WB1-N       | BJY-WB2-N       |
|----------------|-----------------|-----------------|
| Dimension (mm) | 260 x 252 x 240 | 500 x 360 x 240 |
| No. of Head    | 1               | 2               |
| Wattage (W)    | 1200            | 1200 x 2        |

# Food Preparation Machine

## ⚡ Meat Mincer



BJY-MM12/S



BJY-MM22-SS



BJY-MM75FS



BJY-MS75AFS

Table Top

Floor Standing

| Model          | 50Hz | BJY-MM12/S      | BJY-MM22/S      | BJY-MM12-SS     | BJY-MM22-SS     | BJY-MM75FS      | BJY-MS75AFS     |
|----------------|------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|
|                | 60Hz | BJY-MM12/S-60   | BJY-MM22/S-60   | BJY-MM12-SS60   | BJY-MM22-SS60   | -               | -               |
| Dimension (mm) |      | 360 x 190 x 415 | 470 x 240 x 570 | 370 x 220 x 405 | 460 x 280 x 510 | 305 x 330 x 595 | 360 x 310 x 610 |
| Capacity (kg)  |      | 120             | 220             | 120             | 220             | 220             | 220             |
| Wattage (W)    |      | 650             | 1100            | 1100            | 1100            | 750             | 750             |



## ⚡ Meat Slicing Machine - Economic Semi Auto



| Model                  | BJY-SM250-EN    | BJY-SM300-EN    |
|------------------------|-----------------|-----------------|
| Dimension (mm)         | 480 x 420 x 400 | 600 x 520 x 450 |
| Blade Diameter (mm)    | 250             | 300             |
| Slicing Thickness (mm) | 0 - 9           | 0 - 11          |
| Wattage (W)            | 150             | 250             |

## ⚡ Noodle Machine



| Model          | BJY-NM26        | BJY-NM32        |
|----------------|-----------------|-----------------|
| Dimension (mm) | 470 x 420 x 855 | 510 x 410 x 855 |
| Wattage (W)    | 1100            | 1500            |

## ⚡ Pop Corn Machine



| Model          | BJY-PC80Z       |
|----------------|-----------------|
| Dimension (mm) | 565 x 420 x 680 |
| Wattage (W)    | 1400            |

## ⚡ Potato & Vegetable Peeler



| Model          | BJY-PP10         |
|----------------|------------------|
| Dimension (mm) | 630 x 630 x 1080 |
| Capacity (kg)  | 10               |
| Wattage (W)    | 750              |

## ⚡ Vegetable Preparation Machine



| Model          | BJY-VPM         |
|----------------|-----------------|
| Dimension (mm) | 595 x 245 x 585 |
| Wattage (W)    | 550             |

## ⚡ Sugar Cane Juice Machine



**BJY-SCJM-FS**

| Model            | BJY-SCJM-TT     | BJY-SCJM-FS      |
|------------------|-----------------|------------------|
| Dimension (mm)   | 405 x 305 x 565 | 460 x 360 x 1000 |
| Capacity (kg/hr) | 300             | 300              |
| Wattage (W)      | 3700            | 3700             |

## ⚡ Bone Saw



| Model                  | BJY-BSM650      |
|------------------------|-----------------|
| Dimension (mm)         | 500 x 500 x 845 |
| Cutting Thickness (mm) | 5 - 155         |
| Wattage (W)            | 650             |

## ⚡ Feather Removal Machine



| Model          | BJY-FRM60       |
|----------------|-----------------|
| Dimension (mm) | 600 x 600 x 930 |
| Wattage (W)    | 1100            |

## ⚡ Vacuum Packaging Machine



**BJY-VCM400-TT**



**BJY-VCM400-FS**



**BJY-VCM800-EDC**

| Model               | BJY-VCM400-TT   | BJY-VCM400-FS   | BJY-VCM800-EDC   |
|---------------------|-----------------|-----------------|------------------|
| Dimension (mm)      | 550 x 485 x 520 | 550 x 490 x 950 | 1850 x 700 x 950 |
| No. of Heater (pcs) | 1 or 2          | 1 or 2          | 4                |
| Wattage (W)         | 900             | 900             | 2700             |

# Dish Washer

## Commercial Dish Warmer



BJJ-DW1200



BJJ-DW3210S

|                             | Undercounter    | Free Standing                                                              |
|-----------------------------|-----------------|----------------------------------------------------------------------------|
| Model                       | BJJ-DW1200      | BJJ-DW3210S                                                                |
| Dimension (mm)              | 600 x 600 x 830 | 650 x 725 x 1425                                                           |
| Washing Tank (Litres)       | 18              | 40                                                                         |
| Washing Capacity (per hour) | 36 - 40 racks   | 1500 pcs Bowl<br>350 - 460 pcs Bowl (Big size)<br>2000 pcs Glass Cup (Max) |
| Wattage (W)                 | 4000            | 9200                                                                       |

## Pre-Rinse Spray Faucet



|                        |                |
|------------------------|----------------|
| Model                  | BJJ-PRS        |
| Packing Dimension (mm) | 681 x 300 x 94 |

# Insect Killer

## Insect Killer



|                        |                   |                    |
|------------------------|-------------------|--------------------|
| Model                  | BJJ-30A           | BJJ-40A            |
| Dimension (mm)         | 490 x 105 x 325   | 650 x 105 x 385    |
| Coverage Area (Meters) | 80 m <sup>2</sup> | 100 m <sup>2</sup> |

# Air Cooler

## Evaporative Air Cooler



|                                 |                  |
|---------------------------------|------------------|
| Model                           | BJJ-EAC5000      |
| Dimension (mm)                  | 680 x 425 x 1050 |
| Max Airflow (m <sup>3</sup> /h) | 5000             |



# BAKERY MACHINERY

We are the leading bakery machinery manufacturer, specializing in providing a wide range of high-quality baking equipment and solutions for our esteemed customers.





**SCAN HERE  
FOR MORE INFO**

- 
- 52** Electrical Baking Oven
  - 53** Gas Baking Oven
  - 54** Mixer
  - 55** Proofer
  - 56** Other Dough Equipment
  - 57** Toaster  
Cooling Rack



# Electrical Baking Oven

## ⚡ Baking Oven (BD series)



BJY-E3KW-1BD



BJY-E6KW-1BD



BJY-E13KW-2BD



BJY-E20KW-3BD



BJY-E25KW-3BD

|                    | 1 Deck          |                  | 2 Decks           | 3 Decks           |                   |
|--------------------|-----------------|------------------|-------------------|-------------------|-------------------|
| Model              | BJY-E3KW-1BD    | BJY-E6KW-1BD     | BJY-E13KW-2BD     | BJY-E20KW-3BD     | BJY-E25KW-3BD     |
| Dimension (mm)     | 920 x 700 x 410 | 1250 x 845 x 615 | 1250 x 845 x 1220 | 1250 x 845 x 1615 | 1670 x 845 x 1640 |
| Capacity (kg/hr)   | 10              | 20               | 40                | 60                | 90                |
| No. of Baking Tray | 1               | 2                | 4                 | 6                 | 9                 |

\* BGY-E6KW-1BD - Isolator 35A / 1 Phase is required

## ⚡ Baking Oven (PRM series)



BJY-E3KW-1PRM



BJY-E6KW-1PRM



BJY-E13KW-2PRM



BJY-E20KW-3PRM



BJY-E25KW-3PRM

|                    | 1 Deck          |                  | 2 Decks           | 3 Decks           |                   |
|--------------------|-----------------|------------------|-------------------|-------------------|-------------------|
| Model              | BJY-E3KW-1PRM   | BJY-E6KW-1PRM    | BJY-E13KW-2PRM    | BJY-E20KW-3PRM    | BJY-E25KW-3PRM    |
| Dimension (mm)     | 990 x 660 x 435 | 1280 x 875 x 575 | 1280 x 875 x 1245 | 1280 x 875 x 1640 | 1700 x 875 x 1640 |
| Capacity (kg/hr)   | 10              | 20               | 40                | 60                | 90                |
| No. of Baking Tray | 1               | 2                | 4                 | 6                 | 9                 |

\* BGY-E6KW-1PRM - isolator 35A / 1 Phase is required

## ⚡ Baking Oven



BJY-3B6P-E



BJY-3B12P-E

|                | 3 Decks            | 3 Decks            |
|----------------|--------------------|--------------------|
| Model          | BJY-3B6P-E         | BJY-3B6P-E         |
| Dimension (mm) | 1255 x 1115 x 1735 | 1615 x 1275 x 1730 |

\* 3 Phase is required

## ⚡ Baking Oven + Pans Proofer



BJY-2B+8PF-E



BJY-2B+16PF-E

|                | 3 Decks            | 3 Decks            |
|----------------|--------------------|--------------------|
| Model          | BJY-2B+8PF-E       | BJY-2B+16PF-E      |
| Dimension (mm) | 1265 x 1115 x 1635 | 1615 x 1300 x 1635 |
| No. of Pan     | 8 Pans             | 16 Pans            |

\* 3 Phase is required

## ⚡ Convection Oven without Steamer



|                |                 |
|----------------|-----------------|
| Model          | BJY-E-CO28      |
| Dimension (mm) | 600 x 615 x 555 |

## ⚡ Pizza Oven



|                |                 |                 |
|----------------|-----------------|-----------------|
| Model          | BJY-E-PO22      | BJY-E-PO42      |
| Dimension (mm) | 610 x 625 x 300 | 870 x 810 x 386 |
| Wattage (W)    | 2200            | 4200            |

\* BJY-E-PO42 - Isolator 25A/1 phase is required

# Gas Baking Oven

## 🔥 Baking Oven (BD series)



BJY-G30-1BD



BJY-G60-1BD



BJY-G120-2BD



BJY-G180-3BD



BJY-G270-3BD

|                    | 1 Deck           |                  | 2 Decks           | 3 Decks           |                   |
|--------------------|------------------|------------------|-------------------|-------------------|-------------------|
| Model              | BJY-G30-1BD      | BJY-G60-1BD      | BJY-G120-2BD      | BJY-G180-3BD      | BJY-G270-3BD      |
| Dimension (mm)     | 1000 x 740 x 550 | 1340 x 900 x 660 | 1340 x 900 x 1420 | 1340 x 900 x 1800 | 1760 x 900 x 1800 |
| Capacity (kg/hr)   | 10               | 20               | 30                | 60                | 90                |
| No. of Baking Tray | 1                | 2                | 4                 | 6                 | 9                 |

## 🔥 Baking Oven (PRM series)



BJY-G30-1PRM



BJY-G60-1PRM



BJY-G120-2PRM



BJY-G180-3PRM



BJY-G270-3PRM

|                    | 1 Deck           |                  | 2 Decks           | 3 Decks           |                   |
|--------------------|------------------|------------------|-------------------|-------------------|-------------------|
| Model              | BJY-G30-1PRM     | BJY-G60-1PRM     | BJY-G120-2PRM     | BJY-G180-3PRM     | BJY-G270-3PRM     |
| Dimension (mm)     | 1030 x 930 x 650 | 1340 x 900 x 620 | 1340 x 990 x 1357 | 1340 x 990 x 1777 | 1760 x 990 x 1777 |
| Capacity (kg/hr)   | 10               | 20               | 40                | 60                | 90                |
| No. of Baking Tray | 1                | 2                | 4                 | 6                 | 9                 |

## Baking Oven + Pans Proofer



BJI-1B+12PF-G



BJI-2B+8PF-G

|                | 1 Deck            | 2 Decks           |
|----------------|-------------------|-------------------|
| Model          | BJI-1B+12PF-G     | BJI-2B+8PF-G      |
| Dimension (mm) | 1310 x 960 x 1810 | 1310 x 960 x 1810 |
| No. of Pan     | 12 Pans           | 8 Pans            |

## Mixer

### Bakery Mixer



5 / 7 Litres



10 / 20 / 30 Litres



40 Litres



60 Litres

Photos  
With Netting

|                         |                 |      | 5 Litres        | 7 Litres        | 10 Litres       | 20 Litres       | 30 Litres       | 40 Litres        | 60 Litres        |
|-------------------------|-----------------|------|-----------------|-----------------|-----------------|-----------------|-----------------|------------------|------------------|
| Model                   | With Netting    | 50Hz | BJY-BM5N-B      | BJY-BM7N-B      | BJY-BM10N       | BJY-BM20N       | BJY-BM30N       | BJY-BM40N        | BJY-BM60N        |
|                         |                 | 60Hz |                 |                 | BJY-BM10N-60    | BJY-BM20N-60    | BJY-BM30N-60    | BJY-BM40N-60     | -                |
|                         | Without Netting | 50Hz | BJY-BM5-B       | BJY-BM7-B       | BJY-BM10        | BJY-BM20        | BJY-BM30        | BJY-BM40         | -                |
|                         |                 | 60Hz |                 |                 | BJY-BM10-60     | BJY-BM20-60     | BJY-BM30-60     | BJY-BM40-60      | -                |
| Dimension (mm)          |                 |      | 350 x 230 x 400 | 400 x 250 x 410 | 430 x 420 x 690 | 530 x 430 x 880 | 550 x 450 x 880 | 640 x 620 x 1040 | 910 x 740 x 1600 |
| Bowl Capacity (Litres)  |                 |      | 5.5             | 7.5             | 10              | 20              | 28              | 38               | 60               |
| Max Dough Capacity (kg) |                 |      | 0.5*            | 0.7*            | 2.5*            | 5*              | 6*              | 8*               | 25*              |

\* Max Dough Capacity means maximum weight after flour pre-mixed with 50% of water.

\*\* BJI-BM60N — 3 phase is required

### Bakery Mixer (With Digital Control & Timer)



With Netting



Without Netting

| Model                   | With Netting    | BJI-BM10N-DT    | BJI-BM20N-DT    | BJI-BM30N-DT    | BJI-BM40N-DT     |
|-------------------------|-----------------|-----------------|-----------------|-----------------|------------------|
|                         | Without Netting | BJI-BM10-DT     | BJI-BM20-DT     | BJI-BM30-DT     | BJI-BM40-DT      |
| Dimension (mm)          |                 | 464 x 383 x 777 | 547 x 476 x 918 | 563 x 476 x 993 | 652 x 573 x 1121 |
| Bowl Capacity (Litres)  |                 | 10              | 20              | 26              | 40               |
| Max Dough Capacity (kg) |                 | 2.5             | 5               | 6               | 8                |



## ⚡ Spiral Mixer



BJJ-SM30M



BJJ-SM40M



BJJ-SM50D

| Model                   | 1 Speed<br>(Manual Control) |                 |                  | 2 Speed<br>(Manual Control) |                 |                  | 2 Speed<br>(Digital Control) |  |  |
|-------------------------|-----------------------------|-----------------|------------------|-----------------------------|-----------------|------------------|------------------------------|--|--|
|                         | 50Hz                        | BJJ-SM30M       | BJJ-SM40M        | BJJ-SM50M                   | BJJ-SM30D       | BJJ-SM40D        | BJJ-SM50D                    |  |  |
|                         | 60Hz                        | BJJ-SM30M60     | BJJ-SM40M60      | BJJ-SM50M60                 | -               | -                | -                            |  |  |
| Dimension (mm)          |                             | 730 x 450 x 850 | 900 x 500 x 1200 | 1000 x 600 x 1230           | 850 x 430 x 940 | 930 x 490 x 1160 | 1020 x 590 x 1170            |  |  |
| Bowl Capacity (Litres)  |                             | 28              | 45               | 66                          | 28              | 45               | 66                           |  |  |
| Max Dough Capacity (kg) |                             | 12.5*           | 20*              | 25*                         | 12.5*           | 20*              | 25.5*                        |  |  |

\* Max Dough Capacity means maximum weight after flour pre-mixed with 50% of water.

\*\* 2 Speed Manual & Digital Control : 3 phase is required

## ⚡ Spiral Mixer



Digital Control



Manual Control

| Model                   | 2 Speed | Manual  | BJJ-SM30M-B     | BJJ-SM40M-B      | BJJ-SM50M-B      |
|-------------------------|---------|---------|-----------------|------------------|------------------|
|                         |         | Digital | BJJ-SM30D-B     | BJJ-SM40D-B      | BJJ-SM50D-B      |
| Dimension (mm)          |         |         | 718 x 432 x 931 | 749 x 480 x 1096 | 799 x 530 x 1096 |
| Bowl Capacity (Litres)  |         |         | 30              | 40               | 50               |
| Max Dough Capacity (kg) |         |         | 12              | 15               | 20               |

\*3 phase is required

## Proofer

### ⚡ Proofer with Humidifier



| Model          | Single Door      | Double Door       |
|----------------|------------------|-------------------|
|                | 1DPF-16-N        | 2DPF-32-N         |
| Dimension (mm) | 530 x 785 x 2050 | 1068 x 785 x 2050 |
| No. of Pan     | 16               | 32                |

### ⚡ Retarder Proofer (Dual System Cold & Hot)



| Model                  | 1D-RPF-16T          |
|------------------------|---------------------|
| Dimension (mm)         | 800 x 1165 x 2090   |
| Temperature Range (°C) | 40 to -15 ± 3       |
| No. of Pan / Layer     | 32 Pans / 16 Layers |

## ⚡ Retarder Proofer Freezer



| Model                  | BJY-18RPFF       |
|------------------------|------------------|
| Dimension (mm)         | 600 x 955 x 2100 |
| Temperature Range (°C) | 40 to -18        |
| No. of Pan / Layer     | 18               |

## Other Dough Equipment

### ⚡ Dough Divider



| Model               | BJY-DD120        |
|---------------------|------------------|
| Dimension (mm)      | 520 x 420 x 1240 |
| Capacity (pcs/time) | 36               |

### ⚡ Dough Divider Rounder (Semi Auto)



| Model               | BJY-DDR30        |
|---------------------|------------------|
| Dimension (mm)      | 600 x 730 x 1560 |
| Capacity (pcs/time) | 30               |

*\*3 Phase is required*

### ⚡ Dough Sheeter



| Model          | BJY-DS500         |
|----------------|-------------------|
| Dimension (mm) | 2540 x 910 x 1150 |
| Wattage (W)    | 400               |

*\*3 Phase is required*

### ⚡ Dough Moulder



| Model               | BJY-DM390         |
|---------------------|-------------------|
| Dimension (mm)      | 1300 x 665 x 1090 |
| Capacity (pcs/time) | 1000 - 3000       |

# Toaster

## ⚡ Toaster



| Model          | BJY-T4          | BJY-T6          |
|----------------|-----------------|-----------------|
| Dimension (mm) | 300 x 260 x 225 | 400 x 420 x 225 |
| Capacity (pcs) | 4               | 6               |
| Wattage (W)    | 1800            | 2500            |

## ⚡ Contact Toaster



| Model           | BJY-CG11        | BJY-CG23        |
|-----------------|-----------------|-----------------|
| Thermostat (°C) | 50 - 300        | 50 - 300        |
| Dimension (mm)  | 300 x 440 x 230 | 420 x 440 x 230 |
| Wattage (W)     | 2180            | 2380            |

## ⚡ Conveyor Toaster



| Model          | 50Hz | BJY-TT-300      |
|----------------|------|-----------------|
|                | 60Hz | BJY-TT-300-60   |
| Dimension (mm) |      | 425 x 360 x 420 |
| Wattage (W)    |      | 2240            |

## ⚡ Bread Slicer



| Model          | 50Hz | BJY-BS31        |
|----------------|------|-----------------|
|                | 60Hz | BJY-BS31-60     |
| Dimension (mm) |      | 680 x 650 x 820 |
| Capacity (pcs) |      | 31              |
| Wattage (W)    |      | 250             |

# Cooling Rack

## Cooling Rack for Baking Tray



### Cooling Rack

| Model          | Food Pan  |                  | Baking Tray |                  |
|----------------|-----------|------------------|-------------|------------------|
|                | Grade 439 | CR-FP-439        | CR-BT-439   |                  |
|                | Grade 304 | CR-FP-304        | CR-BT-304   |                  |
| Dimension (mm) |           | 390 x 550 x 1735 |             | 470 x 620 x 1735 |

### Knock Down Cooling Rack

| Model          | Food Pan  |                  | Baking Tray      | Baking Tray      |
|----------------|-----------|------------------|------------------|------------------|
|                | Grade 439 | K-CR-FP-439      | K-CR-BT-439      | CR1800-439       |
|                | Grade 304 | K-CR-FP-304      | K-CR-BT-304      | CR1800-304       |
| Dimension (mm) |           | 390 x 550 x 1735 | 470 x 620 x 1735 | 470 x 660 x 1800 |





# STAINLESS STEEL FABRICATION

A good start for a business is low startup cost with Berjaya's Stainless Steel Fabrication, such as Food stalls, food racks, food counters, stainless steel worktables, bowl sinks, etc with various sizes to deliver higher precision of satisfaction to your kitchen needs.





**SCAN HERE**  
FOR MORE INFO

- 
- 60** Food Stall & Tea Counter
  - 64** Bowl Sink Table
  - 65** Worktable, Rack & Wall Shelf
  - 67** Trolley
  - 68** Table and Chair  
Other



# Food Stall & Tea Counter

## Tea Counter



Counter Only

### Counter Only

| Model          | TC-42D           | TC-48D           | TC-60D           | TC-72D           |
|----------------|------------------|------------------|------------------|------------------|
| Dimension (mm) | 1067 x 760 x 840 | 1220 x 760 x 840 | 1525 x 760 x 840 | 1830 x 760 x 840 |



### Glass Overshelf with Drawer

| Model          | TC2-42D26              | TC2-66D26              | TC2-42D                | TC2-48D                | TC2-60D                | TC2-72D                |
|----------------|------------------------|------------------------|------------------------|------------------------|------------------------|------------------------|
| Dimension (mm) | 1070 x 660 x (840+915) | 1677 x 660 x (840+915) | 1070 x 760 x (840+915) | 1220 x 760 x (840+915) | 1525 x 760 x (840+915) | 1830 x 760 x (840+915) |

Glass Overshelf with Drawer



Right Sink



Left Sink

### Glass Overshelf with Drawer & Sink

| Model          | Right Sink | TC2-60DS-R               | TC2-72DS-R               |
|----------------|------------|--------------------------|--------------------------|
|                | Left Sink  | TC2-60DS-L               | TC2-72DS-L               |
| Dimension (mm) |            | 1525 x 760 x (840 + 915) | 1830 x 760 x (840 + 915) |

## Chicken Stall



### Counter Only

| Model          | CC-48            | CC-60            | CC-72            |
|----------------|------------------|------------------|------------------|
| Dimension (mm) | 1220 x 760 x 840 | 1525 x 760 x 840 | 1830 x 760 x 840 |

### Glass Overshelf & Spotlight

| Model          | CS-48                     | CS-60                     |
|----------------|---------------------------|---------------------------|
| Dimension (mm) | 1220 x 760 x (840 + 1070) | 1525 x 760 x (840 + 1070) |

## Prawn Mee Stall



Counter Only

1 Tier Overshelf

2 Tier Overshelf

### Counter Only

| Model          | PMS-E-S-L       | PMS-E            |
|----------------|-----------------|------------------|
| Dimension (mm) | 914 x 610 x 840 | 1070 x 610 x 840 |

### With Overshelf

| Model          | 1 Tier  | PMS-1-E-S-L             | PMS-1-E                  |
|----------------|---------|-------------------------|--------------------------|
|                | 2 Tiers | PMS-2-E-S-L             | PMS-2-E                  |
| Dimension (mm) |         | 914 x 610 x (840 + 910) | 1070 x 610 x (840 + 910) |

## Mee Goreng Stall



MGWF-28



MGWF-60



MG-48

| With Fan       |                  | Without Fan       |                          |                          |
|----------------|------------------|-------------------|--------------------------|--------------------------|
| Model          | MGWF-28          | MGWF-60           | MG-48                    | MG-60                    |
| Dimension (mm) | 635 x 760 x 2085 | 1525 x 760 x 2085 | 1220 x 760 x (760 + 760) | 1525 x 760 x (760 + 760) |

## Mini Burger / Burger Stall with Hot Plate & Burner



Mini Burger



Burger Stall

| Mini Burger    |                 |                 | Burger Stall             |                          |
|----------------|-----------------|-----------------|--------------------------|--------------------------|
| Model          | MBS-510         | MBS-610         | BS-4828-E                | BS-60                    |
| Dimension (mm) | 510 x 460 x 160 | 610 x 460 x 160 | 1200 x 760 x (840 + 760) | 1525 x 760 x (840 + 760) |

## Roti Canai Counter & Hot Plate



RC-60D / 72D



RCD-60D / 72D

### Roti Canai Counter

| Model          | C-50 Burner                     | RC-60D                  | RC-72D                  |
|----------------|---------------------------------|-------------------------|-------------------------|
|                | Dipped Counter with C-50 Burner | RCD-60D                 | RCD-72D                 |
| Dimension (mm) |                                 | 1525 x 770 x (840 + 50) | 1830 x 770 x (840 + 50) |

### Hot Plate

| Model  | Name                       | Dimension (L x W x H) (mm) |
|--------|----------------------------|----------------------------|
| HP24 S | Griddle Plate 24" (Square) | 610 x 460 x 9              |
| HP29 S | Griddle Plate 29" (Square) | 755 x 610 x 9              |
| HP24 R | Griddle Plate 24" (Round)  | Ø610 x 9                   |
| HP28 R | Griddle Plate 28" (Round)  | Ø710 x 9                   |



## Pot Rack & Mee Soup Pot



### Pot Rack

|                |               |                 |
|----------------|---------------|-----------------|
| Model          | Standard Type | PR-S            |
|                | Economy Type  | PR-E            |
| Dimension (mm) |               | 535 x 535 x 840 |



MSP-C

MSP-TP

### Mee Soup Pot

|                |                        |            |
|----------------|------------------------|------------|
| Model          | Concentric             | MSP-C      |
|                | Concentric + Partition | MSP-CP     |
|                | Empty                  | MSP-E      |
|                | Partition              | MSP-P      |
|                | Triple Partition       | MSP-TP     |
| Dimension (mm) |                        | Ø380 x 381 |

## Clean Dish Sink & Overshelf



| Model          | Clean Dish Sink   | CDS-1576         | CDS-1876         | CDS-2176         |
|----------------|-------------------|------------------|------------------|------------------|
|                | 2 Tiers Overshelf | OS-2-CDS-1576    | OS-2-CDS-1876    | OS-2-CDS-2176    |
| Dimension (mm) | Clean Dish Sink   | 1500 x 760 x 840 | 1800 x 760 x 840 | 2100 x 760 x 840 |
|                | 2 Tiers Overshelf | 1500 x 300 x 760 | 1800 x 300 x 760 | 2100 x 300 x 760 |

## Awning Stall



|                |                           |
|----------------|---------------------------|
| Model          | AS-72                     |
| Dimension (mm) | 1830 x 915 x (855 + 1485) |

## ABC Counter with Glass Overshelf



|                |                          |
|----------------|--------------------------|
| Model          | ABC-4228-E               |
| Dimension (mm) | 1067 x 710 x (840 + 760) |



## Seafood Display With Stand



|                |                  |
|----------------|------------------|
| Model          | SD-WS            |
| Dimension (mm) | 1219 x 610 x 800 |

## Hong Kong Chee Cheong Fun



|                |                 |
|----------------|-----------------|
| Model          | HKCCF-36        |
| Dimension (mm) | 915 x 535 x 885 |

## Chicken Wing Stall



|                |                   |
|----------------|-------------------|
| Model          | CW-8              |
| Dimension (mm) | 1015 x 635 x 1830 |

## Lobak Stall



|                |                  |
|----------------|------------------|
| Model          | LS-60            |
| Dimension (mm) | 1525 x 760 x 840 |

## Grill Fish Stall



|                |                  |
|----------------|------------------|
| Model          | S-GFS-44         |
| Dimension (mm) | 1190 x 760 x 840 |

# Bowl Sink Table

## Single Bowl Sink



SBS-28



SBS-450-SG-439

| Model          | SBS-28                  | SBS-450-SG-439                | SBS-1000L               |
|----------------|-------------------------|-------------------------------|-------------------------|
| Dimension (mm) | 710 x 760 x (840 + 150) | 450 x 500 x 850 (100F + 150R) | 1000 x 585 x (830 + 95) |

## Single Bowl Sink Table



Left



Right

| Model          | Left  | SBS-48-L                 | SBS-60-L                 | SBS-72-L                 |
|----------------|-------|--------------------------|--------------------------|--------------------------|
|                | Right | SBS-48-R                 | SBS-60-R                 | SBS-72-R                 |
| Dimension (mm) |       | 1220 x 760 x (840 + 150) | 1525 x 760 x (840 + 150) | 1830 x 760 x (840 + 150) |

## Double Bowl Sink Table



Center



Left



Right

| Model          | Center | DBS-48-C                 | DBS-60-C                 | DBS-72-C                 | DBS-84-C                 |
|----------------|--------|--------------------------|--------------------------|--------------------------|--------------------------|
|                | Left   | -                        | DBS-60-L                 | DBS-72-L                 | -                        |
|                | Right  | -                        | DBS-60-R                 | DBS-72-R                 | -                        |
| Dimension (mm) |        | 1220 x 760 x (840 + 150) | 1525 x 760 x (840 + 150) | 1830 x 760 x (840 + 150) | 2135 x 760 x (840 + 150) |

## Triple Bowl Sink Table



| Model          | TBS-84                   |
|----------------|--------------------------|
| Dimension (mm) | 2135 x 760 x (840 + 150) |

# Worktable, Rack & Wall Shelf

## Worktable



1 Tier Undershelf



2 Tiers Undershelf

### Grade 304, Top 1.2mm, Base 0.8mm

| Model          | 1 Tier Undershelf  | WT-1-1276-304    | WT-1-1576-304    | WT-1-1876-304    | WT-1-2176-304    |
|----------------|--------------------|------------------|------------------|------------------|------------------|
|                | 2 Tiers Undershelf | WT-2-1276-304    | WT-2-1576-304    | WT-2-1876-304    | WT-2-2176-304    |
| Dimension (mm) |                    | 1200 x 760 x 840 | 1500 x 760 x 840 | 1800 x 760 x 840 | 2100 x 760 x 840 |

### Grade 439, Top 0.8mm, Base 0.8mm

| Model          | 1 Tier Undershelf  | WT-1-1276-439    | WT-1-1576-439    | WT-1-1876-439    | WT-1-2176-439    |
|----------------|--------------------|------------------|------------------|------------------|------------------|
|                | 2 Tiers Undershelf | WT-2-1276-439    | WT-2-1576-439    | WT-2-1876-439    | WT-2-2176-439    |
| Dimension (mm) |                    | 1200 x 760 x 840 | 1500 x 760 x 840 | 1800 x 760 x 840 | 2100 x 760 x 840 |

### Grade 430, Top 0.6mm, Base 0.5 / 0.6mm

Width : 610mm (24")

| Model          | 1 Tier Undershelf  | WT-1-3624       | WT-1-4424        | WT-1-4824        | WT-1-6024        | WT-1-7224        | WT-1-8424        |
|----------------|--------------------|-----------------|------------------|------------------|------------------|------------------|------------------|
|                | 2 Tiers Undershelf | WT-2-3624       | WT-2-4424        | WT-2-4824        | WT-2-6024        | WT-2-7224        | WT-2-8424        |
| Dimension (mm) |                    | 915 x 610 x 840 | 1120 x 610 x 840 | 1220 x 610 x 840 | 1525 x 610 x 840 | 1830 x 610 x 840 | 2135 x 610 x 840 |

Width : 760mm (30")

| Model          | 1 Tier Undershelf  | WT-1-3630       | WT-1-4430        | WT-1-4830        | WT-1-6030        | WT-1-7230        | WT-1-8430        |
|----------------|--------------------|-----------------|------------------|------------------|------------------|------------------|------------------|
|                | 2 Tiers Undershelf | WT-2-3630       | WT-2-4430        | WT-2-4830        | WT-2-6030        | WT-2-7230        | WT-2-8430        |
| Dimension (mm) |                    | 915 x 760 x 840 | 1120 x 760 x 840 | 1220 x 760 x 840 | 1525 x 760 x 840 | 1830 x 760 x 840 | 2135 x 760 x 840 |

Width : 915mm (36")

| Model          | 1 Tier Undershelf  | WT-1-7236        | WT-1-8436        |
|----------------|--------------------|------------------|------------------|
|                | 2 Tiers Undershelf | WT-2-7236        | WT-2-8436        |
| Dimension (mm) |                    | 1830 x 915 x 840 | 2135 x 915 x 840 |

## Worktable (Economy Type)



1 Tier Undershelf (Without Black Splash)



2 Tiers Undershelf (With Black Splash)

| Without Back Splash |                           |                 | With Back Splash        |                         |
|---------------------|---------------------------|-----------------|-------------------------|-------------------------|
| Model               | 1 Tier Undershelf         | WT-1-2719-E     | WT-1-3218-E             | WT-1-3620-E             |
|                     | 2 Tiers Undershelf        | WT-2-2719-E     | WT-2-3218-E             | -                       |
|                     | 1 Tier Slatted Undershelf | -               | -                       | WT-1-3620SL-E           |
| Dimension (mm)      |                           | 692 x 489 x 840 | 813 x 470 x (840 + 150) | 915 x 520 x (660 + 300) |

## Solid 4 Tier Rack



Solid 4 Tier Rack

| Model          | Solid      | TR4-48            | TR4-60            | TR4-72            |
|----------------|------------|-------------------|-------------------|-------------------|
|                | Perforated | TR4-48P           | TR4-60P           | TR4-72P           |
| Dimension (mm) |            | 1220 x 530 x 1525 | 1525 x 530 x 1525 | 1830 x 530 x 1525 |

## Shelving Rack



| Model          | Stainless Steel | BJY-3621-6SS     | BJY-4821-6SS      | BJY-6021-6SS      |
|----------------|-----------------|------------------|-------------------|-------------------|
|                | Chrome          | BJY-3621-6C      | BJY-4821-6C       | BJY-6021-6C       |
| Dimension (mm) |                 | 910 x 530 x 1803 | 1220 x 530 x 1803 | 1525 x 530 x 1803 |

## Small Rack



TR-3-16



SR-3

| Model          | 2 Tiers |                 | 3 Tiers         |
|----------------|---------|-----------------|-----------------|
|                | TR-2-16 | TR-3-16         | SR-3            |
| Dimension (mm) |         | 400 x 400 x 720 | 760 x 355 x 720 |

## Table For Burner



TB-2-3018-E

| Model          | With Underself | Without Underself       |
|----------------|----------------|-------------------------|
|                | TB-2-3018-E    | TB-1-3018-E             |
| Dimension (mm) |                | 760 x 460 x (685 + 203) |

## Wall Shelf



| Model          | #304 | WS-0930-304     | WS-1230-304      | WS-1530-304      | WS-1830-304      | WS-2130-304      |
|----------------|------|-----------------|------------------|------------------|------------------|------------------|
|                | #439 | WS-0930-439     | WS-1230-439      | WS-1530-439      | WS-1830-439      | WS-2130-439      |
| Dimension (mm) |      | 900 x 300 x 225 | 1200 x 300 x 225 | 1500 x 300 x 225 | 1800 x 300 x 225 | 2100 x 300 x 225 |

## Perforated Wall Shelf



| Model          | #304 | WS-1230-304-P    | WS-1530-304-P    | WS-1830-304-P    |
|----------------|------|------------------|------------------|------------------|
|                | #439 | WS-1230-439-P    | WS-1530-439-P    | WS-1830-439-P    |
| Dimension (mm) |      | 1200 x 300 x 225 | 1500 x 300 x 225 | 1800 x 300 x 225 |



# Trolley

## Food Trolley



FT-3



PT-2

| Model          | Normal Type |                 | Economy Type    | Perforated Trolley |
|----------------|-------------|-----------------|-----------------|--------------------|
|                | 2 Tier      | FT-2            | FT-2-1926-E     | PT-2               |
|                | 3 Tier      | FT-3            | FT-3-1926-E     | -                  |
| Dimension (mm) |             | 810 x 610 x 840 | 483 x 660 x 840 | 585 x 350 x 840    |

## Trolley



BJJ-RST



BJJ-SST8-KD-CS



BJJ-2TDT-KDM



BJJ-DCT-KDM

| Name                                     | Model          | Type            | Dimension (mm)  |
|------------------------------------------|----------------|-----------------|-----------------|
| Round Service Trolley                    | BJJ-RST        | 2 Tier          | Ø400 x 715      |
| Rectangular Service Trolley (Knock Down) | BJJ-ST-KD      | 2 Tier          | 450 x 400 x 765 |
| Seasoning Trolley (Knock Down)           | BJJ-SST8-KD-CS | 8 compartments  | 850 x 450 x 900 |
| Dining Trolley (Knock Down)              | BJJ-2TDT-KDS   | 2 Tier - Small  | 750 x 400 x 835 |
|                                          | BJJ-2TDT-KDM   | 2 Tier - Medium | 850 x 450 x 900 |
|                                          | BJJ-3TDT-KDS   | 3 Tier - Small  | 750 x 400 x 835 |
|                                          | BJJ-3TDT-KDM   | 3 Tier - Medium | 850 x 450 x 900 |
| Dish Collection Trolley                  | BJJ-DCT-KDS    | 2 Tier - Small  | 750 x 400 x 835 |
|                                          | BJJ-DCT-KDM    | 2 Tier - Medium | 850 x 450 x 900 |
|                                          | BJJ-DCT-KDL    | 2 Tier - Large  | 950 x 500 x 950 |

## Cutley Trolley (Knock Down)



BJJ-CT



3SDCT

| Model          | BJJ-CT          | 3SDCT           | 3LDCT            | 4SDCT            | 4LDCT            |
|----------------|-----------------|-----------------|------------------|------------------|------------------|
| Dimension (mm) | 850 x 450 x 900 | 730 x 420 x 980 | 830 x 460 x 1015 | 730 x 420 x 1250 | 830 x 460 x 1250 |
| No. of Tier    | 3               | 3               | 3                | 4                | 4                |

# Table and Chair

## Table and Chair



|                | Chair           | Table            |
|----------------|-----------------|------------------|
| Model          | SP : C4         | SP : T (SS)      |
| Dimension (mm) | 450 x 570 x 780 | 1135 x 690 x 750 |

## Baby Chair



|                |                 |
|----------------|-----------------|
| Model          | SP : BC         |
| Dimension (mm) | 340 x 527 x 820 |

# Other

## Grease Trap System



GTS-20



GTS-22-SIRIM

|                |                 |                 |
|----------------|-----------------|-----------------|
| Model          | GTS-20          | GTS-22-SIRIM    |
| Dimension (mm) | 510 x 360 x 330 | 560 x 380 x 340 |

## Grease Trap System



|                | Aluminium      | Stainless Steel |
|----------------|----------------|-----------------|
| Model          | AL-BF          | SS-BF           |
| Dimension (mm) | 495 x 495 x 48 | 495 x 495 x 48  |

## Ashtray Dustbin



BJY-ASH-PC



BJY-SQASH-PC



BJY-SQASH-FC

| Name                                      | Model        | Dimension (mm)  |
|-------------------------------------------|--------------|-----------------|
| Ashtray Dustbin Perforated Cover (Round)  | BJY-ASH-PC   | Ø250 x 610      |
| Ashtray Dustbin Flip Cover                | BJY-SQASH-FC | 250 x 250 x 610 |
| Ashtray Dustbin Perforated Cover (Square) | BJY-SQASH-PC | 250 x 250 x 610 |

## Menu Stand



|                |                  |                  |
|----------------|------------------|------------------|
| Model          | MS (S)           | MS (L)           |
| Dimension (mm) | 457 x 432 x 1270 | 457 x 432 x 1473 |



## **Berjaya CKE International Sdn. Bhd.**

(202301018447 (1512369-X))

### **Corporate Office:**

191-5, 5th Floor, Wisma CKE,  
Jalan Lancang, Off Jalan Cheras,  
56100 Kuala Lumpur, Malaysia.

### **Factory:**

PT 16736, Jalan Permata 1,  
Arab Malaysian Industrial Park,  
71800 Nilai, Negeri Sembilan, Malaysia.

**T:** +603 - 9145 8888

**E:** export@berjayacke.com

[www.berjayacke.com](http://www.berjayacke.com)

As product improvement is an on going process,  
we reserve the right to change specifications or design without notice.



**SCAN HERE  
FOR MORE INFO**