



JIANGMEN ESCLIGHTING TECHNOLOGY LIMITED

江门市季诚电器有限公司



VERIFICATION OF CONFORMITY

Reference No. : WZT19F11080263J
 Applicant : JIANGMENG ESCLIGHTING TECHNOLOGY LIMITED
 Address : Second floor Building 1, NO.19 Gaoxin East Road, Jianghai District, Jiangmen City, Guangdong, P.R. China
 Manufacturer : The same as above
 Address : The same as above
 Product : Ceiling fan
 Model No. : Model list refer to test report
 Technical data : Model list refer to test report

Test Standards:
 EN 60335-1:2012+A11:2014+A13:2017
 EN 60335-2-80:2003+A1:2004+A2:2009
 EN 62233:2008
 EN 60598-1:2015, EN 60598-2-1:1989, EN 62471:2008
 The above product has been tested by us with the listed standards and found to comply with the LVD Directive.
 Household and similar electrical appliances
 Part 1: General requirements
 Part 2-80: Particular requirements for fans
 Measurement methods for electromagnetic fields of household appliances with regard to human exposure
 Luminaires
 Part 1: General requirements and tests
 Part 2-1: Particular requirements for fixed general purpose luminaires
 Photobiological safety of lamps and lamp systems
 The referred test report(s) show that the product complies with standard presumption of compliance with the essential requirements in the above relevant Directives have to be observed.
 After preparation of the necessary technical documentation as well as the Conformity, the CE marking as shown below can be affixed on the equipment at the responsibility of the manufacturer.



The statement is based on a single evaluation of the sample of above mentioned product and does not imply an assessment of the whole production.
Waltek Services (Foshan) Co., Ltd.
 Hotline: 400-840-2288 E-mail: info@waltek.com.cn
 Http://www.waltek.com.cn

CERTIFICATE of Conformity

Reference No. : LCS1912100190R
 Applicant : JIANGMEN ESCLIGHTING TECHNOLOGY LIMITED
 Address : Second floor, Building 1, No.19 Gaoxin east Road, Jiangmen city, Guangdong Province, China
 Trademark : N/A
 Product : ceiling fan
 Model(s) : ESC-334, ESC-004YY, ESC-300YY, ESC-315YY, ESC-C193YY, ESC-334YY, ESC-410YY, ESC-422YY, ESC-310YY, ESC-342YY, ESC-336YY, ESC-335B
 The submitted products have been tested by us with the listed standards and found to comply with the following European Directives.
 The RoHS Directive 2011/65/EU and its amendment directives 2015/863/EU
 IEC 62321-3-1:2013 IEC 62321-5:2013 IEC 62321-4:2013+AMD1:2017 IEC 62321-6:2015 IEC 62321-7-1:2015 IEC 62321-7-2:2017 IEC 62321-7-3:2017
 The tests were performed in normal operation mode. The test results apply to the sample tested and to the specific tests carried out. This certificate applies sample investigated in our test reference number only.
 The RoHS markings as shown below can be affixed on the product after necessary technical documentation.
 Other relevant Directives have to be observed.



Date of Issue: December 19, 2019

Zhongshan LCH Compliance Testing Laboratory Ltd.
 No. 25F, Building A, Zhongshan Harbor at DEAS, No. 21 Gang'er Road, Tangshan Development Zone, Zhongshan, Guangdong, China
 Tel: (86) 0750-4524206 Fax: (86) 0750-4524206
 Http://www.lch-cert.com Email: walmaster@lch-cert.com



Certificate of Approval

Addendum

Certificate No.: SAA-182305-EA

Date of Issue: 3 September 2018

Class Description: Fan

Product Description: Ceiling Fan

General Modification:
 Suffix 'YY' in model number denotes enclosure colour where each 'Y' can be 'A-Z'.

Model No.	Description	Model No.	Description	Model No.	Description
ESC-300YY Series	220-240V~50Hz AC Motor: 70W LED Lamp: 18W No. of Blades: 4	ESC-315YY Series	220-240V~50Hz AC Motor: 70W LED Lamp: 12W No. of Blades: 3	ESC-316YY Series	220-240V~50Hz AC Motor: 70W LED Lamp: 18W No. of Blades: 5
ESC-301YY Series	220-240V~50Hz AC Motor: 70W LED Lamp: 18W No. of Blades: 4	ESC-317YY Series	220-240V~50Hz AC Motor: 70W LED Lamp: 12W No. of Blades: 3	ESC-317YY Series	220-240V~50Hz AC Motor: 70W LED Lamp: 18W No. of Blades: 5
ESC-304YY Series	220-240V~50Hz AC Motor: 70W LED Lamp: 24W No. of Blades: 3	ESC-318YY Series	220-240V~50Hz AC Motor: 70W LED Lamp: 24W No. of Blades: 5	ESC-328YY Series	220-240V~50Hz AC Motor: 70W LED Lamp: 18W No. of Blades: 3
ESC-305YY Series	220-240V~50Hz AC Motor: 70W LED Lamp: 24W No. of Blades: 3	ESC-319YY Series	220-240V~50Hz AC Motor: 70W LED Lamp: 18W No. of Blades: 5	ESC-329YY Series	220-240V~50Hz AC Motor: 70W LED Lamp: 18W No. of Blades: 5
ESC-308YY Series	220-240V~50Hz AC Motor: 70W LED Lamp: 24W No. of Blades: 3	ESC-319YY Series	220-240V~50Hz AC Motor: 70W LED Lamp: 18W No. of Blades: 5	ESC-330YY Series	220-240V~50Hz AC Motor: 70W LED Lamp: 24W No. of Blades: 3

For and on Behalf of
SAA Approvals Pty Ltd

SAA Approvals Pty Ltd is accredited by JAS-ANZ under ISO/IEC 17065 in accordance with the SAA Approvals Electrical Product Safety Certification Scheme that the product mentioned in this certificate complies with standard listed.
 When using the RCM the requirements of all relevant parts of AS/NZS 6177 applicable to the article must be fulfilled.
 For SAA Contact Details and to verify this Certificate go to: www.saaapprovals.com.au



Issued: 03-09-18 1823052

Ref. Certif. No.

JPTUV-117480

MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT

CERTIFICATE

Applicant : JIANGMENG ESCLIGHTING TECHNOLOGY LIMITED
 Second Floor Building 1, No.19 Gaoxin East Road, Jianghai District, Jiangmen City, Guangdong, P.R. China
 Manufacturer : JIANGMENG ESCLIGHTING TECHNOLOGY LIMITED
 Second Floor Building 1, No.19 Gaoxin East Road, Jianghai District, Jiangmen City, Guangdong, P.R. China
 Factory : JIANGMENG ESCLIGHTING TECHNOLOGY LIMITED
 Second Floor Building 1, No.19 Gaoxin East Road, Jianghai District, Jiangmen City, Guangdong, P.R. China
 Interference : AC 220-240V, 50-60Hz Class II; Climate Class II, IEC For rated power input, refer to the test report.

by (CTF) Stage used : N/A
 For other models, refer to test report.

Necessary delay : For model differences, refer to the test report.

Tests tested and with : IEC 60335-2-80:2003, IEC 60335-2-80:2003+A12

Port Ref. No. which : 50297731 001

Issued by the National Certification Body

einland®
 JTV Rheinland Japan Ltd.
 Global Technology Assessment Center
 4-2-23 Kiyariyama, Tsurumi-ku
 Yokohama 224-0221, Japan
 Phone : +81 45 914-3658
 Fax : +81 45 914-3354
 Mail : info@jtv.com Web : www.jtv.com

Signature: Dong Zhou

This document, the authority of this certificate can be verified on the RCM website: <http://www.rcm.com.au>

भारतीय मानक ब्यूरो
INDIAN STANDARDS
 भारतीय मानक ब्यूरो, नई दिल्ली - 110002
 भारत सरकार, नई दिल्ली - 110002
 E-Mail: registration@bIS.in
 Website: www.bIS.in

Date: 2020-09-15 14:22:55

AS PER IS 18322:Part 5:Nov 12:2012

GRAM AREA, JIANGMEN CITY, GUANGDONG PROVINCE, CHINA

15-09-2020 for renewal of the above mentioned license. This is to inform you that the same has been renewed from

under clause (b) of sub section (2) of section 13 of the Act shall expire at the end of the period for which it is granted

are, therefore, requested to apply for next renewal to BIS within three months before the expiration of the license.

Yours faithfully,
 Registration Department
 Bureau of Indian Standards,
 9, Bahadur Shah Zafar Marg,
 New Delhi 110002
 Tel: +91-11-2333456
 E-mail: registration@bIS.in

Signature is not required
 A QR code on this letter

QUALIFICATIONS CERTIFICATION



COMPANY PROFILE

JIANGMEN ESCLIGHTING TECHNOLOGY LIMITED

JIANGMEN ESCLIGHTING TECHNOLOGY LIMITED was founded from the year 2017. Our fan factory is located in jiangmen city covers an area of more than 5000m², equipped with professional testing lab and noise testing room for Motor and fan. we are a modernized enterprise specialized in manufacturing and marketing of led decoration ceiling fan lights, solar table fan,solar stand fan, fan Motor and so on .

In order to meet market needs and satisfy customer needs Our R&D department keep to design the unique and customized product by analyzing the market demands and accept OEM and ODM service . All of our products have got the ETL,SAA,CE,ROHS,BIS,FCC, and CB certificates.

Our company insist principle of "Quality Credit and Service First." We sincerely welcome you to visit our company or contact us for long time cooperation.



江门市季诚电器有限公司 JIANGMEN ESCLIGHTING TECHNOLOG LIMITED

Factory Add: Buliding 1, No19 Gaoxin Road, Jianghai Area, Jiangmen City, Guangdong Province , China

Phone : +86-0750-3766065

E-mail : sales@esclighting.com

Web : www.esclighting.com

Connect : Mandy Cell : +86-13631172320





ESC-N01

1. Blade Size: 52inch
2. Power: Motor BLDC40W, LED light 18W
3. Blade: ABS blade 3 pcs
4. The standard control: Remote control
5. Packing Size: 70*43*20cm



ESC-N02

1. Blade Size: 52inch
2. Power: Motor BLDC40W, LED light 18W
3. Blade: ABS blade 3 pcs
4. The standard control: Remote control
5. Packing Size: 70*43*20cm



ESC-N03

1. Blade Size: 52inch
2. Power: Motor BLDC40W, LED light 18W
3. Blade: ABS 3pcs
4. The standard control: Remote control
5. Packing Size: 70*43*20cm



ESC-N04

1. Blade Size: 52inch
2. Power: Motor BLDC40W
3. Blade: ABS blade 3 pcs
4. The standard control: Remote control
5. Packing Size: 72.5*29*32cm



JC-2033

- 1. Blade Size: 56inch
- 2. Power: Motor BLDC50W, LED light 18W
- 3. Blade: ABS 5pcs
- 4. The standard control: Remote control



JC2035

- 1. Blade Size: 56inch
- 2. Power: Motor BLDC50W
- 3. Blade: ABS 5pcs
- 4. The standard control: Remote control
- 5. Packing Size: 67.5*34.5*19.8cm



NEW

JC-2048

- 1. Blade Size: 52inch
- 2. Power: Motor BLDC40W, LED light 18W
- 3. Blade: ABS 3pcs
- 4. The standard control: Remote control



ESC-216

1. Blade Size: 54/66 inch
2. Power: Motor BLDC50W, LED light 24W
3. Blade: ABS 5pcs
4. The standard control: Remote control
5. Packing Size: 72.5*29*32cm

NEW



JC-2049

1. Blade Size: 52 inch
2. Power: Motor BLDC40W, LED light 18W
3. Blade: ABS 4pcs
4. The standard control: Remote control



ESC-C147W

1. Blade Size: 54 inch
2. Power: Motor BLDC50W
3. Blade: ABS 5pcs
4. The standard control: Remote control
5. Packing Size: 60*37*36.5cm





ESC-336AL

- 1. Blade Size: 98/108/128inch
- 2. Power: Motor BLDC120W
- 3. Blade: Aluminum 6pcs
- 4. The standard control: Remote control





ESC-310

1. Blade Size: 52inch
2. Power: Motor BLDC40W, LED light 18W
3. Blade: ABS 3pcs
4. The standard control: Remote control
5. Packing Size: 79.5*35.5*25cm



No lamp

ESC-310B

1. Blade Size: 52inch
2. Power: Motor BLDC40W, LED light 12W
3. Blade: ABS 3pcs
4. The standard control: Remote control
5. Packing Size: 70*43*20cm



ESC-314

1. Blade Size: 52inch
2. Power: Motor BLDC40W, LED light 36W
3. Blade: ABS 5pcs
4. The standard control: Remote control
5. Packing Size: 46*46*41cm



ESC-310W

1. Blade Size: 48inch
2. Power: Motor BLDC40W, LED light 18W
3. Blade: ABS 3pcs
4. The standard control: Remote control
5. Packing Size: 72.5*29*32cm





NEW

ESC-N06

- 1. Blade Size: 52inch
- 2. Power: Motor BLDC40W
- 3. Blade: ABS 3pcs
- 4. The standard control: Remote control



ESC-333

- 1. Blade Size: 60inch
- 2. Power: Motor BLDC50W, LED light 18W
- 3. Blade: ABS 5pcs
- 4. The standard control: Remote control
- 5. Packing Size: 107*44*26cm



NEW

ESC-N07

- 1. Blade Size: 38inch
- 2. Power: Motor BLDC40W
- 3. Blade: ABS 3pcs
- 4. The standard control: Remote control



ESC-319YY

- 1. Blade Size: 52inch
- 2. Power: Motor BLDC40W, LED light 18W
- 3. Blade: ABS 3pcs
- 4. The standard control: Remote control
- 5. Packing Size: 85*37*23cm



ESC-322YY

- 1.Blade Size:56inch
- 2.Power:Motor BLDC40W,LED light 18W
- 3.Blade:ABS 3pcs
- 4.The standard control:Remote control
- 5.Packing Size:72.5*29*32cm



ESC-322B

- 1.Blade Size:52inch
- 2.Power:Motor BLDC26W,LED light 18W
- 3.Blade:ABS 3pcs
- 4.The standard control:Remote control
- 5.Packing Size:72.5*29*32cm



ESC-334B

- 1.Blade Size:64inch
- 2.Power:Motor BLDC50W,LED light 20W
- 3.Blade:ABS 3pcs
- 4.The standard control:Remote control
- 5.Packing Size:81*35*27.5cm



ESC-334

- 1.Blade Size:52inch
- 2.Power:Motor BLDC26W,LED light 20W
- 3.Blade:ABS 3pcs
- 4.The standard control:Remote control
- 5.Packing Size:69*37*27.5cm





ESC-312W

1. Blade Size: 52inch
2. Power: Motor BLDC26W, LED light 18W
3. Blade: ABS 3pcs
4. The standard control: Remote control
5. Packing Size: 72.5*29*32cm



ESC-329

1. Blade Size: 48inch
2. Power: Motor BLDC26W, LED light 18W
3. Blade: ABS 3pcs
4. The standard control: Remote control
5. Packing Size: 59*27*28cm



ESC-215

1. Blade Size: 42inch
2. Power: Motor BLDC40W, LED light 24W
3. Blade: ABS 3pcs
4. The standard control: Remote control



ESC-222B

1. Blade Size: 52inch
2. Power: Motor BLDC40W, LED light 18W
3. Blade: ABS 4pcs
4. The standard control: Remote control
5. Packing Size: 72.5*29*32cm





ESC-335B

1. Blade Size: 52inch
2. Power: Motor BLDC40W, LED light 18W
3. Blade: ABS 5pcs
4. The standard control: Remote control
5. Packing Size: 82*68*24cm



ESC-317

1. Blade Size: 52inch
2. Power: Motor DC40W, LED light 18W
3. Blade: ABS 3pcs
4. The standard control: Remote control
5. Packing Size: 72.5*29*32cm



ESC-211

1. Blade Size: 52inch
2. Power: Motor BLDC40W, LED light 36W
3. Blade: ABS 5pcs
4. The standard control: Remote control
5. Packing Size: 77*44*26.5cm



ESC-213

1. Blade Size: 60inch
2. Power: Motor BLDC50W, LED light 24W
3. Blade: ABS 5pcs
4. The standard control: Remote control
5. Packing Size: 81*35*27.5cm



ESC-336

1. Blade Size: 60inch
2. Power: Motor BLDC50W, LED light 24W
3. Blade: ABS 8pcs
4. The standard control: Remote control
5. Packing Size: 107*48.5*30cm



ESC-336YY

1. Blade Size: 60inch
2. Power: Motor BLDC50W, LED light 24W
3. Blade: ABS 8pcs
4. The standard control: Remote control



ESC-335C

1. Blade Size: 48inch
2. Power: Motor BLDC26W, LED light 24W
3. Blade: ABS 5pcs
4. The standard control: Remote control
5. Packing Size: 59*27*28cm



JC-2033

1. Blade Size: 60 inch
2. Power: Motor BLDC50W, LED light 24W
3. Blade: ABS 5pcs
4. The standard control: Remote control



ESC-C147YY

1. Blade Size: 56 inch
2. Power: Motor BLDC40W
3. Blade: ABS 3pcs
4. The standard control: Remote control
5. Packing Size: 72.5*29*32cm



ESC-308

1. Blade Size: 750mm (36 inch)
2. Power: Motor DC26W/AC70W, LED light 24W
3. Blade: plastic 3pcs
4. The standard control: Remote control
5. Packing Size: 48*32*33cm



ESC-308B

1. Blade Size: 38 inch
2. Power: Motor DC26W/AC70W, LED light 24W
3. Blade: Plastic 5pcs
4. The standard control: Remote control
5. Packing Size: 48*32*33cm



ESC-342YY

1. Blade Size: 52inch
2. Power: Motor BLDC35W, LED light 18W
3. Blade: ABS 3pcs
4. The standard control: Remote control
5. Packing Size: 74.5*34.5*22.5cm



ESC-342

1. Blade Size: 52inch
2. Power: Motor BLDC26W, LED light 18W
3. Blade: ABS 3pcs
4. The standard control: Remote control
5. Packing Size: 72.5*29*32cm



ESC-214

1. Blade Size: 52inch
2. Power: Motor BLDC26W, LED light 18W
3. Blade: Real wooden 3pcs
4. The standard control: Remote control
5. Packing Size: 72.5*29*32cm





ESC-312

1. Blade Size: 52inch
2. Power: Motor BLDC26W/AC70W, LED light 18W
3. Blade: Real wooden 3pcs
4. The standard control: Remote control
5. Packing Size: 72.5*29*32cm



ESC-319B

1. Blade Size: 52inch
2. Power: Motor BLDC50W, LED light 18W
3. Blade: Real wooden 3pcs
4. The standard control: Remote control



ESC-331

1. Blade Size: 52inch
2. Power: Motor BLDC26W/AC70W, LED light 24W
3. Blade: Real wooden 3pcs
4. The standard control: Remote control
5. Packing Size: 72.5*29*32cm





ESC-331B

1. Blade Size: 52inch
2. Power: Motor BLDC26W/AC70W
3. Blade: Real wooden 3pcs
4. The standard control: Remote control
5. Packing Size: 72.5*29*32cm



ESC-331C

1. Blade Size: 52inch
2. Power: Motor BLDC26W/AC70W, LED light 18W
3. Blade: Real wooden 3pcs
4. The standard control: Remote control
5. Packing Size: 72.5*29*32cm



ESC-C142YY

1. Blade Size: 52inch
2. Power: Motor BLDC26W/AC70W
3. Blade: Real wooden 3pcs
4. The standard control: Remote control



ESC-332

1. Blade Size: 60inch
2. Power: Motor BLDC50W, LED light 18W
3. Blade: Real wooden 3pcs
4. The standard control: Remote control
5. Packing Size: 84*47.5*24cm




NEW



ESC-222

- 1. Blade Size: 42inch
- 2. Power: Motor DC35W, LED light 18W
- 3. Blade: ABS 2pcs
- 4. The standard control: Remote control



NEW



ESC-219

- 1. Blade Size: 52inch
- 2. Power: Motor DC40W, LED light 15W
- 3. Blade: ABS 5pcs
- 4. The standard control: Remote control



ESC-217

- 1. Blade Size: 56inch
- 2. Power: Motor DC40W, LED light 20W
- 3. Blade: ABS 5pcs
- 4. The standard control: Remote control



ESC-C142L

1. Blade Size: 52inch
2. Power: Motor BLDC26W/AC70W, LED light 18W
3. Blade: Real wooden 3pcs
4. The standard control: Remote control



ESC-2028

1. Blade Size: 52inch
2. Power: Motor BLDC26W/AC70W, LED light 20W
3. Blade: Real wooden 3pcs
4. The standard control: Remote control



ESC-C193

1. Blade Size: 52inch
2. Power: Motor BLDC26W/AC70W
3. Blade: Real wooden 3pcs
4. The standard control: Remote control
5. Packing Size: 72.5*29*32cm



ESC-C141B

1. Blade Size: 52inch
2. Power: Motor BLDC26W/AC70W, LED light 18W
3. Blade: Real wooden 3pcs
4. The standard control: Remote control





ESC-C193A

- 1. Blade Size: 60inch
- 2. Power: Motor BLDC 50W
- 3. Blade: Real wooden/ABS
- 4. The standard control: Remote control
- 5. Packing Size: 84*47.5*24cm




ESC-C141YY

- 1. Blade Size: 52inch
- 2. Power: Motor BLDC26W/AC70W
- 3. Blade: Real wooden 3pcs
- 4. The standard control: Remote control
- 5. Packing Size: 72.5*29*32cm



ESC-C193B

- 1. Blade Size: 52inch
- 2. Power: Motor BLDC26W/AC70W, LED light 18W
- 3. Blade: Real wooden 3pcs
- 4. The standard control: Remote control
- 5. Packing Size: 72.5*29*32cm



ESC-315

1. Blade Size: 42/48/52inch
2. Power: Motor DC26W/AC70W, LED light 18W
3. Blade: Plywood 5pcs
4. The standard control: Remote control
5. Packing Size: 64*36*28cm



ESC-301

1. Blade Size: 42/48/52inch
2. Power: Motor DC26W/AC70W, LED light 18W
3. Blade: Plywood 4pcs
4. The standard control: Remote control
5. Packing Size: 59*27*28cm



ESC-305YY

1. Blade Size: 42/48/52inch
2. Power: Motor DC26W/AC70W, LED light 24W
3. Blade: Plywood 3pcs
4. The standard control: Remote control
5. Packing Size: 63*29*28cm



ESC-300D

1. Blade Size: 42/48/52inch
2. Power: Motor DC26W/AC70W, LED light 18W
3. Blade: Plywood 4pcs
4. The standard control: Remote control
5. Packing Size: 53*33*27cm



ESC-307

1. Blade Size: 42/48/52inch
2. Power: Motor DC26W, LED light 24W
3. Blade: Plywood 3pcs
4. The standard control: Remote control



ESC-302B

1. Blade Size: 52inch
2. Power: Motor DC40W/AC70W, LED light 24W
3. Blade: Plywood 5pcs
4. The standard control: Remote control
5. Packing Size: 59*27*28cm



ESC-302

1. Blade Size: 42/48/52inch
2. Power: Motor DC40W/AC70W, LED light 24W
3. Blade: IRON 5pcs
4. The standard control: Remote control
5. Packing Size: 53*33*27cm



ESC-306

1. Blade Size: 42/48/52inch
2. Power: Motor DC26W/AC70W, LED light 24W
3. Blade: Plywood 3pcs
4. The standard control: Remote control
5. Packing Size: 63*29*28cm



ESC-313

1. Blade Size: 42/48/52 inch
2. Power: Motor DC40W/AC70W, LED light 24W
3. Blade: Plywood 5pcs
4. The standard control: Remote control
5. Packing Size: 60*37*36.5cm



ESC-330YY

1. Blade Size: 42/48/52 inch
2. Power: Motor DC26W/AC70W, LED light 18W
3. Blade: Plywood 5pcs
4. The standard control: Remote control
5. Packing Size: 64*36*28cm



ESC-328

1. Blade Size: 42/48/52 inch
2. Power: Motor DC26W/AC70W, LED light 24W
3. Blade: Plywood 3pcs
4. The standard control: Remote control
5. Packing Size: 59*27*28cm





ESC-002-E

1. Blade Size: 48/52inch
2. Power: Motor AC70W
3. Blade: Iron/Plywood 5pcs
4. The standard control: Pull chain
5. Packing Size: 53*33*27cm



ESC-004-A

1. Blade Size: 42/48/52inch
2. Power: Motor AC70W
3. Blade: Iron/Plywood 5pcs
4. The standard control: Pull chain
5. Packing Size: 53*33*27cm



ESC-004-B

1. Blade Size: 42/48/52inch
2. Power: Motor AC70W
3. Blade: Iron/Plywood 5pcs
4. The standard control: Pull chain
5. Packing Size: 53*33*27cm



ESC-01-E

- 1. Blade Size: 48/52inch
- 2. Power: Motor AC70W
- 3. Blade: Iron/Plywood 5pcs
- 4. The standard control: Pull chain
- 5. Packing Size: 60*37*36.5cm



ESC-001-D

- 1. Blade Size: 42/48/52inch
- 2. Power: Motor AC70W
- 3. Blade: Iron/Plywood 5pcs
- 4. The standard control: Pull chain
- 5. Packing Size: 60*37*36.5cm





ESC-P12

POWER: 25W

SOLAR PANEL: 9V 12W POLYSILICON

CHARGING TIME: 3-5H

WORKING TIME : 12 FILES FOR 4-5 HOURS, 1 FILE FOR ABOUT 10 HOURS

FUNCTION MODE: USB CHARGING SOCKET

FAN SIZE: H40*W42CM

SOLAR PANEL SIZE: 350*290MM

ESC-L12

POWER:25W

SOLAR PANEL:9V 12W POLYSILICON

CHARGING TIME:4-6H

WORKING TIME :4 TO 10 HOURS

FAN SIZE:H58*W34.5CM

SOLAR PANEL SIZE:350*290MM



ESC-L16

Power:25W

Solar panel:9V 12W polysilicon

Speed choice :3 speeds Charging time: 4-6H

Use time:4-6 hours for gear 3, 10 hours for gear 1

Working mode:Multi-function button (excluding remote control)

Function mode:USB interface, small night light lighting

Fan size:16 inches, H120*W45cm

Solar panel size:350*290mm





ESC-402

1. Blade Size: 36/42inch
2. Power: Motor BLDC35W, LED light 36W
3. Blade: ABS 4pcs
4. The standard control: Remote control
5. Packing Size: 55*55*29cm



ESC-413

1. Blade Size: 42inch
2. Power: Motor BLDC35W, LED light 36W
3. Blade: ABS 4pcs
4. The standard control: Remote control
5. Packing Size: 55*55*29cm



ESC-422A

1. Blade Size: 36/42inch
2. Power: Motor BLDC35W, LED light 36W
3. Blade: ABS 4pcs
4. The standard control: Remote control
5. Packing Size: 55*55*30cm



ESC-410B

1. Blade Size: 42inch
2. Power: Motor BLDC35W, LED light 36W
3. Blade: ABS 4pcs
4. The standard control: Remote control
5. Packing Size: 55*55*29cm



ESC-410B

1. Blade Size: 42inch
2. Power: Motor BLDC35W, LED light 36W
3. Blade: ABS 4pcs
4. The standard control: Remote control
5. Packing Size: 55*55*30cm



ESC-422B

1. Blade Size: 42inch
2. Power: Motor BLDC35W, LED light 36W
3. Blade: ABS 4pcs
4. The standard control: Remote control
5. Packing Size: 55*55*30cm



JC-18201

1. Blade Size: 42inch
2. Power: Motor BLDC35W, LED light 36W
3. Blade: ABS 4pcs
4. The standard control: Remote control
5. Packing Size: 55*55*30cm



ESC-CT01

1. Blade Size: 12inch
2. Power: Motor BLDC12W, LED light 36W
3. Blade: ABS 5pcs
4. The standard control: Remote control
5. Packing Size: 51*51*25cm



ESC-CT05

1. Blade Size: 12inch
2. Power: Motor BLDC12W, LED light 36W
3. Blade: ABS 5pcs
4. The standard control: Remote control
5. Packing Size: 51*51*25cm



ESC-CT06

1. Blade Size: 12inch
2. Power: Motor BLDC12W, LED light 36W
3. Blade: ABS 5pcs
4. The standard control: Remote control
5. Packing Size: 51*51*25cm



ESC-CT12

1. Blade Size: 12inch
2. Power: Motor BLDC12W, LED light 36W
3. Blade: ABS 5pcs
4. The standard control: Remote control
5. Packing Size: 51*51*25cm

